



**Big, bold and better than ever.**

**BBP®85**  
LABEL PRINTER



# The BBP®85 Sign

There's **BIG** and **BOLD**.

Then there's **BIG** and **BOLD** from Brady.

The BBP®85 Label Printer allows you to create 10" labels in multiple colors, and it has an easier-than-ever interface that anyone on your team can use! No more complex, tedious design steps. No more ordering and waiting. Now you can just walk up and print... and instantly create high quality, multi-colored visuals up to 10" wide.



## Big Output. Little Fuss.

Create extra-large custom signs and labels right now! This printer has our fastest, easiest operating system, so anyone on your team can design visuals with little to no training. The ideal printer for multi-user Lean 5S and kaizen labeling events!

- Unmistakably large visuals up to 10" wide
- Just walk up and print...it really is that easy!
- Simple touch-screen interface for stand-alone use, or print from your PC with MarkWare™ Software
- Timesaving label design apps to create pipe markers, safety signs, arc flash, right-to-know labels, and more!
- USB port for importing files, fonts and graphics



## Bold Multi-Color Printing.

Get your message noticed with strong, colorful visuals. Print up to 4 colors on a single label for professional-looking, custom-made signs, labels and warnings that demand attention.

- Highly durable multi-color thermal transfer printing
- Print common sign formats even faster using pre-printed sign header supplies
- Add more label creation flexibility with Markware™ Software (v3.9.3 and higher)
- Ethernet port for easy printer networking

**Don't Miss it!**

See reverse side for part numbers and unfold for actual size label examples.

# and Label Printer:



BRADY 360°  
**5** YEAR  
WARRANTY




## Best-of-the-Best Materials.

Brady's sign and label materials lead the industry in durability and performance. They withstand harsh conditions, stay stuck on the most challenging surfaces and they simply last longer than other materials on the market. With the BBP85 printer, you can choose from over one hundred supply options, including:

- Huge selection of 4" wide to 10" wide industrial grade outdoor materials
- Specialty materials including Reflective and Glow-in-the-Dark
- Pre-printed sign header supplies for GHS, arc flash and OSHA or ANSI safety signs, which means only one print pass!
- Rigid sign panels: Adhere a printed sign to a panel for quick rigid signs you can hang or post nearly anywhere.


# Big, bold and better



**Don't Miss it!**

See reverse side for part numbers and unfold for actual size label examples.

# er than ever.



# Indoor/Outdoor Vinyl (B-595)

For all-purpose facility and safety identification: our best industrial vinyl!

- Durable, low-shrink vinyl with our most aggressive adhesive and 8-10 year outdoor durability
- Conforms to irregular, curved, rough and highly textured surfaces (painted cinder blocks and wood, textured plastics, cast-iron and paper-jacketed pipes, powder-coated surfaces)

Service temp: -40°F to 180°F Application temp: 0°F to 180°F

Average Outdoor Durability: 8-10 year outdoor vinyl label durability.



Figure 33



| Diagram | Catalog # | Color  | Label Width<br>A Inch (mm) | Roll Length<br>B Inch (mm) | Labels<br>Per Roll | Rec.<br>Ribbon |
|---------|-----------|--------|----------------------------|----------------------------|--------------------|----------------|
| Fig. 33 | 13538     | White  | 4.000 (101.6)              | 50ft. (15.2m)              | 1 roll (cont)      | 13511          |
| Fig. 33 | 13549     | White  | 6.000 (152.4)              | 50ft. (15.2m)              | 1 roll (cont)      | 13511          |
| Fig. 33 | 13651     | White  | 7.000 (177.8)              | 50ft. (15.2m)              | 1 roll (cont)      | 13510          |
| Fig. 33 | 13551     | White  | 8.000 (203.2)              | 50ft. (15.2m)              | 1 roll (cont)      | 13510          |
| Fig. 33 | 13562     | White  | 10.000 (254.0)             | 50ft. (15.2m)              | 1 roll (cont)      | 13510          |
| Fig. 33 | 13539     | Yellow | 4.000 (101.6)              | 50ft. (15.2m)              | 1 roll (cont)      | 13511          |
| Fig. 33 | 13550     | Yellow | 6.000 (152.4)              | 50ft. (15.2m)              | 1 roll (cont)      | 13511          |
| Fig. 33 | 13652     | Yellow | 7.000 (177.8)              | 50ft. (15.2m)              | 1 roll (cont)      | 13510          |
| Fig. 33 | 13552     | Yellow | 8.000 (203.2)              | 50ft. (15.2m)              | 1 roll (cont)      | 13510          |
| Fig. 33 | 13563     | Yellow | 10.000 (254.0)             | 50ft. (15.2m)              | 1 roll (cont)      | 13510          |
| Fig. 33 | 13540     | Red    | 4.000 (101.6)              | 50ft. (15.2m)              | 1 roll (cont)      | 13513          |
| Fig. 33 | 13601     | Red    | 6.000 (152.4)              | 50ft. (15.2m)              | 1 roll (cont)      | 13513          |
| Fig. 33 | 13654     | Red    | 7.000 (177.8)              | 50ft. (15.2m)              | 1 roll (cont)      | 13512          |
| Fig. 33 | 13553     | Red    | 8.000 (203.2)              | 50ft. (15.2m)              | 1 roll (cont)      | 13512          |
| Fig. 33 | 13610     | Red    | 10.000 (254.0)             | 50ft. (15.2m)              | 1 roll (cont)      | 13512          |
| Fig. 33 | 13541     | Blue   | 4.000 (101.6)              | 50ft. (15.2m)              | 1 roll (cont)      | 13513          |
| Fig. 33 | 13602     | Blue   | 6.000 (152.4)              | 50ft. (15.2m)              | 1 roll (cont)      | 13513          |
| Fig. 33 | 13656     | Blue   | 7.000 (177.8)              | 50ft. (15.2m)              | 1 roll (cont)      | 13512          |
| Fig. 33 | 13554     | Blue   | 8.000 (203.2)              | 50ft. (15.2m)              | 1 roll (cont)      | 13512          |
| Fig. 33 | 13611     | Blue   | 10.000 (254.0)             | 50ft. (15.2m)              | 1 roll (cont)      | 13512          |
| Fig. 33 | 13542     | Green  | 4.000 (101.6)              | 50ft. (15.2m)              | 1 roll (cont)      | 13513          |
| Fig. 33 | 13603     | Green  | 6.000 (152.4)              | 50ft. (15.2m)              | 1 roll (cont)      | 13513          |
| Fig. 33 | 13655     | Green  | 7.000 (177.8)              | 50ft. (15.2m)              | 1 roll (cont)      | 13512          |
| Fig. 33 | 13555     | Green  | 8.000 (203.2)              | 50ft. (15.2m)              | 1 roll (cont)      | 13512          |
| Fig. 33 | 13612     | Green  | 10.000 (254.0)             | 50ft. (15.2m)              | 1 roll (cont)      | 13512          |
| Fig. 33 | 13543     | Orange | 4.000 (101.6)              | 50ft. (15.2m)              | 1 roll (cont)      | 13511          |
| Fig. 33 | 13604     | Orange | 6.000 (152.4)              | 50ft. (15.2m)              | 1 roll (cont)      | 13511          |
| Fig. 33 | 13653     | Orange | 7.000 (177.8)              | 50ft. (15.2m)              | 1 roll (cont)      | 13510          |
| Fig. 33 | 13556     | Orange | 8.000 (203.2)              | 50ft. (15.2m)              | 1 roll (cont)      | 13510          |
| Fig. 33 | 13613     | Orange | 10.000 (254.0)             | 50ft. (15.2m)              | 1 roll (cont)      | 13510          |

| Diagram | Catalog # | Color  | Label Width<br>A Inch (mm) | Roll Length<br>B Inch (mm) | Labels<br>Per Roll | Rec.<br>Ribbon |
|---------|-----------|--------|----------------------------|----------------------------|--------------------|----------------|
| Fig. 33 | 13544     | Black  | 4.000 (101.6)              | 50ft. (15.2m)              | 1 roll (cont)      | 13513          |
| Fig. 33 | 13605     | Black  | 6.000 (152.4)              | 50ft. (15.2m)              | 1 roll (cont)      | 13513          |
| Fig. 33 | 13557     | Black  | 8.000 (203.2)              | 50ft. (15.2m)              | 1 roll (cont)      | 13512          |
| Fig. 33 | 13614     | Black  | 10.000 (254.0)             | 50ft. (15.2m)              | 1 roll (cont)      | 13512          |
| Fig. 33 | 13545     | Gold   | 4.000 (101.6)              | 50ft. (15.2m)              | 1 roll (cont)      | 13511          |
| Fig. 33 | 13606     | Gold   | 6.000 (152.4)              | 50ft. (15.2m)              | 1 roll (cont)      | 13511          |
| Fig. 33 | 13558     | Gold   | 8.000 (203.2)              | 50ft. (15.2m)              | 1 roll (cont)      | 13510          |
| Fig. 33 | 13615     | Gold   | 10.000 (254.0)             | 50ft. (15.2m)              | 1 roll (cont)      | 13510          |
| Fig. 33 | 13546     | Gray   | 4.000 (101.6)              | 50ft. (15.2m)              | 1 roll (cont)      | 13511          |
| Fig. 33 | 13607     | Gray   | 6.000 (152.4)              | 50ft. (15.2m)              | 1 roll (cont)      | 13511          |
| Fig. 33 | 13559     | Gray   | 8.000 (203.2)              | 50ft. (15.2m)              | 1 roll (cont)      | 13510          |
| Fig. 33 | 13616     | Gray   | 10.000 (254.0)             | 50ft. (15.2m)              | 1 roll (cont)      | 13510          |
| Fig. 33 | 13547     | Brown  | 4.000 (101.6)              | 50ft. (15.2m)              | 1 roll (cont)      | 13513          |
| Fig. 33 | 13608     | Brown  | 6.000 (152.4)              | 50ft. (15.2m)              | 1 roll (cont)      | 13513          |
| Fig. 33 | 13560     | Brown  | 8.000 (203.2)              | 50ft. (15.2m)              | 1 roll (cont)      | 13512          |
| Fig. 33 | 13617     | Brown  | 10.000 (254.0)             | 50ft. (15.2m)              | 1 roll (cont)      | 13512          |
| Fig. 33 | 13548     | Purple | 4.000 (101.6)              | 50ft. (15.2m)              | 1 roll (cont)      | 13513          |
| Fig. 33 | 13609     | Purple | 6.000 (152.4)              | 50ft. (15.2m)              | 1 roll (cont)      | 13513          |
| Fig. 33 | 13561     | Purple | 8.000 (203.2)              | 50ft. (15.2m)              | 1 roll (cont)      | 13512          |
| Fig. 33 | 13618     | Purple | 10.000 (254.0)             | 50ft. (15.2m)              | 1 roll (cont)      | 13512          |
| Fig. 33 | 59529     | Clear  | 4.000 (101.6)              | 50ft. (15.2m)              | 1 roll (cont)      | 13511          |
| Fig. 33 | 59530     | Clear  | 6.000 (152.4)              | 50ft. (15.2m)              | 1 roll (cont)      | 13511          |
| Fig. 33 | 59531     | Clear  | 8.000 (203.2)              | 50ft. (15.2m)              | 1 roll (cont)      | 13510          |
| Fig. 33 | 59532     | Clear  | 10.000 (254.0)             | 50ft. (15.2m)              | 1 roll (cont)      | 13510          |

U.S. Patent Nos. 5,318,370; 5,823,689; 6,570,602. Additional Patents Pending.

# Pre-Printed Right-To-Know Chemical Labels (B-595)

For quickly creating NFPA and color bar labels.

- Blank die cut labels pre-printed with chemical diamonds and color bars
- Allows printer to produce 5-color chemical labels in a single print pass
- Indoor/outdoor grade material withstands exposure to moisture, chemicals and handling

Service temp: -40°F to 180°F Application temp: 0°F to 180°F

Average Outdoor Durability: 8 to 10 years outdoor vinyl label durability



| Catalog # | Legend           | Label Height<br>A Inch (mm) | Label Width<br>B Inch (mm) | Labels<br>Per Row | Labels<br>Per Roll | Rec. Ribbon |
|-----------|------------------|-----------------------------|----------------------------|-------------------|--------------------|-------------|
| 130808    | Diamond + Text   | 4.000 (101.6)               | 6.000 (152.4)              | 1                 | 95                 | 13511       |
| 130809    | Diamond + Text   | 7.000 (177.8)               | 10.000 (254.0)             | 1                 | 60                 | 13510       |
| 130810    | Diamond Only     | 6.000 (152.4)               | 6.000 (152.4)              | 1                 | 95                 | 13511       |
| 130811    | Color Bar + Text | 4.000 (101.6)               | 6.000 (152.4)              | 1                 | 95                 | 13511       |
| 130812    | Color Bar + Text | 7.000 (177.8)               | 10.000 (254.0)             | 1                 | 60                 | 13510       |

## Pre-Printed Pre-Cut Blank Sign Headers (B-595, B-7569)

For creating arc flash and safety warning labels in seconds.

- Faster way to design commonly used safety signs and labels
- Create custom, colorful safety labels using only a black ribbon
- Headers meet NFPA 70E, OSHA 1910.145 and ASME/ANSI Z535 standards
- Indoor/outdoor grade material conforms to rough, highly textured, and "difficult to adhere to" surfaces




Figure 70



| Diagram | Catalog # | Material | Legend | Label Height A<br>Inch (mm) | Label Width B<br>Inch (mm) | Labels<br>Per Roll | Rec. Ribbon |
|---------|-----------|----------|--------|-----------------------------|----------------------------|--------------------|-------------|
| Fig. 70 | 140886    | B-7569   |        | 10.000 (254.0)              | 14.000 (355.6)             | 40                 | 13510       |
| Fig. 70 | 130750    | B-595    |        | 7.000 (177.8)               | 10.000 (254.0)             | 60                 | 13510       |
| Fig. 70 | 130749    | B-595    |        | 4.000 (101.6)               | 6.000 (152.4)              | 95                 | 13511       |
| Fig. 70 | 140887    | B-7569   |        | 10.000 (254.0)              | 14.000 (355.6)             | 40                 | 13510       |
| Fig. 70 | 130753    | B-595    |        | 7.000 (177.8)               | 10.000 (254.0)             | 60                 | 13510       |
| Fig. 70 | 130752    | B-595    |        | 4.000 (101.6)               | 6.000 (152.4)              | 95                 | 13511       |
| Fig. 70 | 140888    | B-7569   |        | 10.000 (254.0)              | 14.000 (355.6)             | 40                 | 13510       |
| Fig. 70 | 130756    | B-595    |        | 7.000 (177.8)               | 10.000 (254.0)             | 60                 | 13510       |
| Fig. 70 | 130755    | B-595    |        | 4.000 (101.6)               | 6.000 (152.4)              | 95                 | 13511       |
| Fig. 70 | 140889    | B-7569   |        | 10.000 (254.0)              | 14.000 (355.6)             | 40                 | 13510       |
| Fig. 70 | 130759    | B-595    |        | 7.000 (177.8)               | 10.000 (254.0)             | 60                 | 13510       |
| Fig. 70 | 130758    | B-595    |        | 4.000 (101.6)               | 6.000 (152.4)              | 95                 | 13511       |
| Fig. 70 | 140885    | B-7569   |        | 10.000 (254.0)              | 14.000 (355.6)             | 40                 | 13510       |
| Fig. 70 | 130762    | B-595    |        | 7.000 (177.8)               | 10.000 (254.0)             | 60                 | 13510       |
| Fig. 70 | 130761    | B-595    |        | 4.000 (101.6)               | 6.000 (152.4)              | 95                 | 13511       |
| Fig. 70 | 140890    | B-7569   |        | 10.000 (254.0)              | 14.000 (355.6)             | 40                 | 13510       |
| Fig. 70 | 130765    | B-595    |        | 7.000 (177.8)               | 10.000 (254.0)             | 60                 | 13510       |
| Fig. 70 | 130764    | B-595    |        | 4.000 (101.6)               | 6.000 (152.4)              | 95                 | 13511       |
| Fig. 70 | 140883    | B-7569   |        | 10.000 (254.0)              | 14.000 (355.6)             | 40                 | 13510       |
| Fig. 70 | 132393    | B-595    |        | 7.000 (177.8)               | 10.000 (254.0)             | 60                 | 13510       |
| Fig. 70 | 140884    | B-7569   |        | 10.000 (254.0)              | 14.000 (355.6)             | 40                 | 13510       |
| Fig. 70 | 132395    | B-595    |        | 7.000 (177.8)               | 10.000 (254.0)             | 60                 | 13510       |

## Pre-Printed GHS / CLP Chemical Labels (B-7569)

For GHS and hazard communication labeling.

- Blank labels with pre-printed red diamonds save time during label design
- 6 diamond layouts that match templates in Markware™ Software, available in 2 sizes each
- Indoor/outdoor vinyl material withstands exposure to moisture, chemicals and handling
- Markware™ Software v3.9.1 or higher required (free upgrade available for v3.x owners)

Service temp: -4°F to 180°F Application temp: 50°F to 180°F  
Average Outdoor Durability: 3-5 years



| Catalog # | Legend             | Label Height A<br>Inch (mm) | Label Width B<br>Inch (mm) | Labels<br>Per Row | Labels<br>Per Roll | Rec. Ribbon |
|-----------|--------------------|-----------------------------|----------------------------|-------------------|--------------------|-------------|
| 130766    | L1 Diamond + Text  | 4.100 (104.1)               | 6.100 (154.9)              | 1                 | 90                 | 13511       |
| 130772    | L1 Diamond + Text  | 6.100 (154.9)               | 8.300 (210.8)              | 1                 | 70                 | 13510       |
| 130767    | L2 Diamond + Text  | 4.100 (104.1)               | 6.100 (154.9)              | 1                 | 90                 | 13511       |
| 130773    | L2 Diamond + Text  | 6.100 (154.9)               | 8.300 (210.8)              | 1                 | 70                 | 13510       |
| 130768    | L3A Diamond + Text | 4.100 (104.1)               | 6.100 (154.9)              | 1                 | 90                 | 13511       |
| 130774    | L3A Diamond + Text | 6.100 (154.9)               | 8.300 (210.8)              | 1                 | 70                 | 13510       |
| 130769    | L3B Diamond + Text | 4.100 (104.1)               | 6.100 (154.9)              | 1                 | 90                 | 13511       |
| 130775    | L3B Diamond + Text | 6.100 (154.9)               | 8.300 (210.8)              | 1                 | 70                 | 13510       |
| 130770    | L4A Diamond + Text | 4.100 (104.1)               | 6.100 (154.9)              | 1                 | 90                 | 13511       |
| 130776    | L4A Diamond + Text | 6.100 (154.9)               | 8.300 (210.8)              | 1                 | 70                 | 13510       |
| 130771    | L4B Diamond + Text | 4.100 (104.1)               | 6.100 (154.9)              | 1                 | 90                 | 13511       |
| 130777    | L4B Diamond + Text | 6.100 (154.9)               | 8.300 (210.8)              | 1                 | 70                 | 13510       |



### GHS/CLP Label Module included in MarkWare™ Software

- 18 pre-formatted label layouts with built-in GHS symbols
- Labels are auto-populated based on selected hazard statements and GHS symbols
- Prompts for additional variable data and second language option

## Low-Halide Polyester (B-569)

For labeling stainless steel and smooth surfaces.

- Low-halide content for labeling stainless steel pipes and surfaces
- Applies best to very smooth surfaces and is ideal for mounting to rigid panels

Service temp: -40°F to 212°F Application temp: 0°F to 212°F  
Average Outdoor Durability: 3-5 years



Figure 33



| Diagram | Catalog # | Color     | Label Width<br>A Inch (mm) | Roll Length<br>B Inch (mm) | Labels<br>Per Roll | Rec. Ribbon |
|---------|-----------|-----------|----------------------------|----------------------------|--------------------|-------------|
| Fig. 33 | 13564     | Clear /// | 4.000 (101.6)              | 50ft. (15.2m)              | 1 roll (cont)      | 13511       |
| Fig. 33 | 13568     | Clear /// | 6.000 (152.4)              | 50ft. (15.2m)              | 1 roll (cont)      | 13511       |
| Fig. 33 | 13572     | Clear /// | 7.000 (177.8)              | 50ft. (15.2m)              | 1 roll (cont)      | 13510       |
| Fig. 33 | 13576     | Clear /// | 10.000 (254.0)             | 50ft. (15.2m)              | 1 roll (cont)      | 13510       |
| Fig. 33 | 13565     | White     | 4.000 (101.6)              | 50ft. (15.2m)              | 1 roll (cont)      | 13511       |
| Fig. 33 | 13569     | White     | 6.000 (152.4)              | 50ft. (15.2m)              | 1 roll (cont)      | 13511       |
| Fig. 33 | 13573     | White     | 7.000 (177.8)              | 50ft. (15.2m)              | 1 roll (cont)      | 13510       |
| Fig. 33 | 13577     | White     | 10.000 (254.0)             | 50ft. (15.2m)              | 1 roll (cont)      | 13510       |
| Fig. 33 | 13566     | Yellow    | 4.000 (101.6)              | 50ft. (15.2m)              | 1 roll (cont)      | 13511       |
| Fig. 33 | 13570     | Yellow    | 6.000 (152.4)              | 50ft. (15.2m)              | 1 roll (cont)      | 13511       |
| Fig. 33 | 13574     | Yellow    | 7.000 (177.8)              | 50ft. (15.2m)              | 1 roll (cont)      | 13510       |
| Fig. 33 | 13578     | Yellow    | 10.000 (254.0)             | 50ft. (15.2m)              | 1 roll (cont)      | 13510       |
| Fig. 33 | 13567     | Orange    | 4.000 (101.6)              | 50ft. (15.2m)              | 1 roll (cont)      | 13511       |
| Fig. 33 | 13571     | Orange    | 6.000 (152.4)              | 50ft. (15.2m)              | 1 roll (cont)      | 13511       |
| Fig. 33 | 13575     | Orange    | 7.000 (177.8)              | 50ft. (15.2m)              | 1 roll (cont)      | 13510       |
| Fig. 33 | 13579     | Orange    | 10.000 (254.0)             | 50ft. (15.2m)              | 1 roll (cont)      | 13510       |
| Fig. 33 | 99167     | Ochre     | 4.000 (101.6)              | 50ft. (15.2m)              | 1 roll (cont)      | 13511       |
| Fig. 33 | 99168     | Ochre     | 6.000 (152.4)              | 50ft. (15.2m)              | 1 roll (cont)      | 13511       |
| Fig. 33 | 99169     | Ochre     | 7.000 (177.8)              | 50ft. (15.2m)              | 1 roll (cont)      | 13510       |
| Fig. 33 | 99170     | Ochre     | 10.000 (254.0)             | 50ft. (15.2m)              | 1 roll (cont)      | 13510       |

## Retro Reflective Tape (B-584)


For highly reflective identification that shines back brightly when struck by light.

- Ideal for labeling outdoor metal utility poles, pedestals, jobsite equipment and roof-top equipment especially in low light

Service temp: -40°F to 158°F Average Outdoor Durability: 4 to 6 years  
Application temp: 0°F to 158°F (yellow & orange), 50°F to 158°F (silver)



Figure 33



| Diagram | Catalog # | Color  | Label Width<br>A Inch (mm) | Roll Length<br>B Inch (mm) | Labels<br>Per Roll | Rec. Ribbon |
|---------|-----------|--------|----------------------------|----------------------------|--------------------|-------------|
| Fig. 33 | 13580     | Silver | 4.000 (101.6)              | 33ft. (10.0m)              | 1 roll (cont)      | 13511       |
| Fig. 33 | 13585     | Silver | 7.000 (177.8)              | 33ft. (10.0m)              | 1 roll (cont)      | 13510       |
| Fig. 33 | 13590     | Silver | 10.000 (254.0)             | 33ft. (10.0m)              | 1 roll (cont)      | 13510       |
| Fig. 33 | 51584     | Yellow | 4.000 (101.6)              | 33ft. (10.0m)              | 1 roll (cont)      | 13511       |
| Fig. 33 | 51585     | Yellow | 7.000 (177.8)              | 33ft. (10.0m)              | 1 roll (cont)      | 13510       |
| Fig. 33 | 51586     | Yellow | 10.000 (254.0)             | 33ft. (10.0m)              | 1 roll (cont)      | 13510       |
| Fig. 33 | 13404     | Orange | 4.000 (101.6)              | 33ft. (10.0m)              | 1 roll (cont)      | 13511       |
| Fig. 33 | 13403     | Orange | 7.000 (177.8)              | 33ft. (10.0m)              | 1 roll (cont)      | 13510       |
| Fig. 33 | 13402     | Orange | 10.000 (254.0)             | 33ft. (10.0m)              | 1 roll (cont)      | 13510       |

## BradyGlo™ High-Intensity Photoluminescent Tape (B-526)


Identification that glows in the dark for up to 10 hours!

- Ideal for marking emergency utility shut-offs, fire extinguishers, alarm pulls, and vital equipment controls

Service temp: -40°F to 140°F Application temp: 40°F to 140°F



Figure 33



| Diagram | Catalog # | Color          | Label Width<br>A Inch (mm) | Roll Length<br>B Inch (mm) | Labels<br>Per Roll | Rec. Ribbon    |
|---------|-----------|----------------|----------------------------|----------------------------|--------------------|----------------|
| Fig. 33 | 105912    | Luminous Green | 4.000 (101.6)              | 33ft. (10.0m)              | 1 roll (cont)      | 13511 or 13595 |
| Fig. 33 | 105913    | Luminous Green | 7.000 (177.8)              | 33ft. (10.0m)              | 1 roll (cont)      | 13510 or 13514 |
| Fig. 33 | 105914    | Luminous Green | 7.000 (177.8)              | 33ft. (10.0m)              | 1 roll (cont)      | 13510 or 13514 |

# BBP®85 Printer Ribbons


- Choose from a variety of heavy-duty, smear-proof ribbons, including single color and multi-color paneled ribbons. These ribbons are uniquely designed with memory cells that communicate information to the BBP®85 printer.

## Single Color Print Ribbons


| Catalog # | Color   |                                                                                   | Size Inch (mm) | Length           |
|-----------|---------|-----------------------------------------------------------------------------------|----------------|------------------|
| 13511     | Black   |  | 6.250 (158.7)  | 200 ft. (60.9 m) |
| 13510     | Black   |  | 8.800 (223.5)  | 200 ft. (60.9 m) |
| 13513     | White   |  | 6.250 (158.7)  | 200 ft. (60.9 m) |
| 13512     | White   |  | 8.800 (223.5)  | 200 ft. (60.9 m) |
| 13595     | Red     |  | 6.250 (158.7)  | 200 ft. (60.9 m) |
| 13514     | Red     |  | 8.800 (223.5)  | 200 ft. (60.9 m) |
| 13596     | Blue    |  | 6.250 (158.7)  | 200 ft. (60.9 m) |
| 13515     | Blue    |  | 8.800 (223.5)  | 200 ft. (60.9 m) |
| 13597     | Green   |  | 6.250 (158.7)  | 200 ft. (60.9 m) |
| 13516     | Green   |  | 8.800 (223.5)  | 200 ft. (60.9 m) |
| 13598     | Magenta |  | 6.250 (158.7)  | 200 ft. (60.9 m) |
| 13517     | Magenta |  | 8.800 (223.5)  | 200 ft. (60.9 m) |
| 13599     | Yellow  |  | 6.250 (158.7)  | 200 ft. (60.9 m) |
| 13518     | Yellow  |  | 8.800 (223.5)  | 200 ft. (60.9 m) |
| 13600     | Orange  |  | 6.250 (158.7)  | 200 ft. (60.9 m) |
| 13519     | Orange  |  | 8.800 (223.5)  | 200 ft. (60.9 m) |



Example of Single Color Print Ribbon



Example of Two Color Panel Print Ribbon



Example of Four Color Panel Print Ribbon

## Two Color Paneled Print Ribbons

| Catalog #                                              | Color          |                                                                                     | Ribbon Width<br>Inch (mm) | Color Panel Length<br>Inch (mm) | Overall<br>Length | Typical Yield<br>From Ribbon |
|--------------------------------------------------------|----------------|-------------------------------------------------------------------------------------|---------------------------|---------------------------------|-------------------|------------------------------|
| 8" Panels used to create 2 color signs up to 8" long   |                |                                                                                     |                           |                                 |                   |                              |
| 13523                                                  | Black & Red    |  | 6.250 (158.0)             | 8.000 (203.2) Panels            | 200 ft. (60.9 m)  | One hundred 8" long labels   |
| 13522                                                  | Black & Red    |  | 8.800 (223.5)             | 8.000 (203.2) Panels            | 200 ft. (60.9 m)  | One hundred 8" long labels   |
| 13527                                                  | Black & Yellow |  | 6.250 (158.0)             | 8.000 (203.2) Panels            | 200 ft. (60.9 m)  | One hundred 8" long labels   |
| 13529                                                  | Black & Orange |  | 6.250 (158.0)             | 8.000 (203.2) Panels            | 200 ft. (60.9 m)  | One hundred 8" long labels   |
| 13704                                                  | Black & Green  |  | 6.250 (158.0)             | 8.000 (203.2) Panels            | 200 ft. (60.9 m)  | One hundred 8" long labels   |
| 13706                                                  | Black & Green  |  | 8.800 (223.5)             | 8.000 (203.2) Panels            | 200 ft. (60.9 m)  | One hundred 8" long labels   |
| 15" Panels used to create 2 color signs up to 14" long |                |                                                                                     |                           |                                 |                   |                              |
| 13521                                                  | Black & Red    |  | 6.250 (158.0)             | 15.000 (381.0) Panels           | 200 ft. (60.9 m)  | Sixty 14" long labels        |
| 13520                                                  | Black & Red    |  | 8.800 (223.5)             | 15.000 (381.0) Panels           | 200 ft. (60.9 m)  | Sixty 14" long labels        |
| 13525                                                  | Black & Blue   |  | 6.250 (158.0)             | 15.000 (381.0) Panels           | 200 ft. (60.9 m)  | Sixty 14" long labels        |
| 13524                                                  | Black & Blue   |  | 8.800 (223.5)             | 15.000 (381.0) Panels           | 200 ft. (60.9 m)  | Sixty 14" long labels        |
| 13526                                                  | Black & Yellow |  | 8.800 (223.5)             | 15.000 (381.0) Panels           | 200 ft. (60.9 m)  | Sixty 14" long labels        |
| 13528                                                  | Black & Orange |  | 8.800 (223.5)             | 15.000 (381.0) Panels           | 200 ft. (60.9 m)  | Sixty 14" long labels        |
| 13705                                                  | Black & Green  |  | 6.250 (158.0)             | 15.000 (381.0) Panels           | 200 ft. (60.9 m)  | Sixty 14" long labels        |
| 13707                                                  | Black & Green  |  | 8.800 (223.5)             | 15.000 (381.0) Panels           | 200 ft. (60.9 m)  | Sixty 14" long labels        |

## Four Color Paneled Print Ribbons

| Catalog #                                               | Color                 |                                                                                     | Ribbon Width<br>Inch (mm) | Color Panel Length<br>Inch (mm) | Overall<br>Length | Typical Yield<br>From Ribbon |
|---------------------------------------------------------|-----------------------|-------------------------------------------------------------------------------------|---------------------------|---------------------------------|-------------------|------------------------------|
| 8" Panels used to create 4 color signs up to 8" long.   |                       |                                                                                     |                           |                                 |                   |                              |
| 13533                                                   | Black/Red/Blue/Yellow |  | 6.250 (158.0)             | 8.000 (203.2) Panels            | 200 ft. (60.9 m)  | Fifty 8" long labels         |
| 13532                                                   | Black/Red/Blue/Yellow |  | 8.800 (223.5)             | 8.000 (203.2) Panels            | 200 ft. (60.9 m)  | Fifty 8" long labels         |
| 13537                                                   | Black/Red/Blue/Green  |  | 6.250 (158.0)             | 8.000 (203.2) Panels            | 200 ft. (60.9 m)  | Fifty 8" long labels         |
| 13536                                                   | Black/Red/Blue/Green  |  | 8.800 (223.5)             | 8.000 (203.2) Panels            | 200 ft. (60.9 m)  | Fifty 8" long labels         |
| 51448                                                   | Black/Red/Orange/Blue |  | 8.800 (223.5)             | 8.000 (203.2) Panels            | 200 ft. (60.9 m)  | Fifty 8" long labels         |
| 15" Panels used to create 4 color signs up to 14" long. |                       |                                                                                     |                           |                                 |                   |                              |
| 13531                                                   | Black/Red/Blue/Yellow |  | 6.250 (158.0)             | 15.000 (381.0) Panels           | 200 ft. (60.9 m)  | Thirty 14" long labels       |
| 13530                                                   | Black/Red/Blue/Yellow |  | 8.800 (223.5)             | 15.000 (381.0) Panels           | 200 ft. (60.9 m)  | Thirty 14" long labels       |
| 13535                                                   | Black/Red/Blue/Green  |  | 6.250 (158.0)             | 15.000 (381.0) Panels           | 200 ft. (60.9 m)  | Thirty 14" long labels       |
| 13534                                                   | Black/Red/Blue/Green  |  | 8.800 (223.5)             | 15.000 (381.0) Panels           | 200 ft. (60.9 m)  | Thirty 14" long labels       |

# The BBP®85 Sign and Label Printer:

## Big, bold and better than ever.

### Printer and Accessories

| Catalog #         | Description                                                                                                          |
|-------------------|----------------------------------------------------------------------------------------------------------------------|
| BBP85-MWL         | BBP®85 Printer with Markware™ Lean Software                                                                          |
| BBP85             | BBP®85 Sign & Label Printer                                                                                          |
| BBP85-31-71-KIT   | BBP®85 Printer, BBP®31 Printer, BMP®71 Printer and Markware™ Lean Software                                           |
| BBP85-31-KIT      | BBP®85 Printer, BBP®31 Printer and Markware™ Lean Software                                                           |
| BBP85-71-KIT      | BBP®85 Printer, BMP®71 Printer and Markware™ Lean Software                                                           |
| BBP85-BLS1255-MWL | BBP®85 Printer, BLS 1255 Laminating System, Markware™ Lean Software and (1) Plastic Rigid Blank Sign 10.25" x 14.25" |
| B85-DC            | BBP®85 Printer Dust Cover                                                                                            |
| B85-STYLUS        | BBP®85 Replacement Stylus 3 Pack                                                                                     |
| 64692             | Print Head Cleaning Pen                                                                                              |

\* Printer ships with documentation CD, printer driver CD, power cord, USB cord, quick start guide, cleaning kit and 5-year warranty.

**BBP®85**  
LABEL PRINTER



## BLS1255 Laminating System & Rigid Sign Panels

Quickly mount BBP®85 output to plastic or aluminum sign blanks... takes only seconds!

- Overlamine documents with a single or double-sided flexible, clear overlaminate
- Sign blanks let you laminate output using the BLS1255 Laminator.
- Plastic and aluminum blanks are sized to fit output
- Clear acrylic panels have pressure sensitive adhesive to protect graphics

### BLS1255 Laminating System

| Catalog # | Description                                   |
|-----------|-----------------------------------------------|
| 105038    | BLS1255 Laminating System                     |
| 105041    | 12" x 50" Double-sided polyester overlaminate |

U.S. Patent No. 8,542,155.



Y2908520 MS2908520

© 2014 Brady Worldwide Inc. ALL RIGHTS RESERVED

### Aluminum - rounded corners & hole punched

| Catalog # | Material | Color  | Size            | Qty/Pk |
|-----------|----------|--------|-----------------|--------|
| 13629     | Aluminum | White  | 4.25" x 6.25"   | 10     |
| 106461    | Aluminum | White  | 4.25" x 10.25"  | 10     |
| 13632     | Aluminum | White  | 7.25" x 10.25"  | 10     |
| 106460    | Aluminum | White  | 7.63" x 10.38"  | 10     |
| 106462    | Aluminum | White  | 10.25" x 10.25" | 10     |
| 13635     | Aluminum | White  | 10.25" x 14.25" | 10     |
| 13630     | Aluminum | Yellow | 4.25" x 6.25"   | 10     |
| 13633     | Aluminum | Yellow | 7.25" x 10.25"  | 10     |
| 13636     | Aluminum | Yellow | 10.25" x 14.25" | 10     |
| 13631     | Aluminum | Orange | 4.25" x 6.25"   | 10     |
| 13634     | Aluminum | Orange | 7.25" x 10.25"  | 10     |
| 13637     | Aluminum | Orange | 10.25" x 14.25" | 10     |

### Plastic - rounded corners & hole punched

| Catalog # | Material | Color  | Size            | Qty/Pk |
|-----------|----------|--------|-----------------|--------|
| 13620     | Plastic  | White  | 4.25" x 6.25"   | 10     |
| 13623     | Plastic  | White  | 7.63" x 10.38"  | 10     |
| 13626     | Plastic  | White  | 10.25" x 14.25" | 10     |
| 13621     | Plastic  | Yellow | 4.25" x 6.25"   | 10     |
| 13624     | Plastic  | Yellow | 7.63" x 10.38"  | 10     |
| 13627     | Plastic  | Yellow | 10.25" x 14.25" | 10     |
| 13622     | Plastic  | Orange | 4.25" x 6.25"   | 10     |
| 13625     | Plastic  | Orange | 7.63" x 10.38"  | 10     |
| 13628     | Plastic  | Orange | 10.25" x 14.25" | 10     |

Clear acrylic panels with pressure sensitive adhesive  
Use to mount output behind a clear panel to add rigidity while protecting the graphics

| Catalog # | Material | Color | Size            | Qty/Pk |
|-----------|----------|-------|-----------------|--------|
| 13638     | Acrylic  | Clear | 4" x 6"         | 10     |
| 106464    | Acrylic  | Clear | 4.25" x 10.25"  | 10     |
| 13639     | Acrylic  | Clear | 7.25" x 10"     | 10     |
| 106463    | Acrylic  | Clear | 7.25" x 10.25"  | 10     |
| 13640     | Acrylic  | Clear | 10" x 14"       | 10     |
| 106465    | Acrylic  | Clear | 10.25" x 10.25" | 10     |

**Brady360®**  
5-Year  
Warranty

BRADY 360®  
**5 YEAR**  
WARRANTY

We have you Covered.

We always stand behind our products to make sure they exceed your expectations and to deliver you an unrivaled customer experience. We've strengthened our commitment to you with a **5-year printer warranty standard and free of charge** on our benchtop printer models.\*

With a team of 30 certified tech support and repair technicians and our 5-year warranty backing you up, you can rest assured you'll have the support you need — every step of the way.

Our 5-year warranty covers repair parts & labor, one print head replacement, a free loaner printer, a stress-free printer setup session, and much more. You also have access to additional fee-based support, including an on-site repair service, custom programming and advanced integrations services.

\*Excludes repairs due to negligence, Wraptor™ model and handheld models.

See [www.BradyID.com/brady360](http://www.BradyID.com/brady360) for full coverage details & restrictions.

Twój dystrybutor marki Brady:



**HTS-Polska Strzyga sp. z o.o.**  
Wola Pieczyska 27  
05-650 Chynów49  
NIP: 797 202 62

T: +48 22 619 07 70  
M: +48 505 612 159  
M: +48 501 753 716  
e-mail: [info@hts-polska.pl](mailto:info@hts-polska.pl)

**BRADY®**  
WHEN PERFORMANCE MATTERS MOST™