



## Colour Your Way to an Improved Workplace



**BBP™35 Multicolour Sign & Label Printer**  
**BBP™37 Colour & Cut Sign & Label Printer**

# Colour Your Way to an

## Unprecedented Capabilities Set the New Standard in Safety & Facility Identification

Because safety and productivity mean the world to you, it's time to step up to the new standard by creating signs and labels that demand attention. After all, effective workplace visuals make all the difference in taking your facility to the next level by giving employees the information they need right at a glance.

**And now there's a tool to do it all!**

Brady's BBP35 and BBP37 sign and label printers give you the power to make signs and labels in the colours and shapes you need to make an impact – right at your own facility and right when you need them. With remarkable multi-colour printing, versatile shape-cutting capabilities and impressively fast print speeds, you won't remember how you lived without one of these printers.

## Faster. Easier. More Versatile. Expect Nothing Less!



### Multiple Print Colours

- Print signs and labels that are more noticeable, more memorable and more effective
- Colour is the differentiator when you need to effectively improve workplace safety and productivity



### Shape Cutting

- Revolutionary built-in XY plotter-cutter system in the BBP37 printer
- Cut out shapes and text, or cut around your message to create labels that look and fit just how you want them to



### Label Making Made Easy

- Intuitive built-in features offer ease of use so anyone can walk up and print labels
- Ideal for multiple users, centralised locations and lean/5S events
- Compatible with powerful Brady Workstation Label Apps for added versatility

## Table of contents


### Facility & Safety Identification

|                                                                   |      |
|-------------------------------------------------------------------|------|
| B-595 High Performance Indoor/Outdoor Vinyl .....                 | 6    |
| B-569 High Performance Polyester .....                            | 7, 8 |
| B-595 Pre-printed Pre-cut Blank Sign Headers .....                | 8    |
| B-595 Pre-printed Right-To-Know Chemical Labels .....             | 9    |
| B-551 Non-adhesive Pre-printed & Pre-cut Safety Tags .....        | 9    |
| B-7569 Pre-printed GHS/CLP Chemical Labels .....                  | 10   |
| Brady Workstation CLP (GHS) Labels App .....                      | 10   |
| B-483/B-634 ToughStripe™ Floor Marking Tape with Overlamine... .. | 11   |
| B-854 and B-855 ToughWash™ Washdown Resistant Labels .....        | 12   |
| B-584 Retro Reflective Tape .....                                 | 12   |
| B-551 Non-adhesive Tag Stock .....                                | 14   |
| B-509 Printable Magnetic Supply .....                             | 14   |
| B-549 Cold Temperature Application Material .....                 | 14   |
| B-581 Repositionable Vinyl .....                                  | 15   |
| B-7569 Indoor/Outdoor Vinyl .....                                 | 15   |

### Electrical / Automation Identification

|                                                   |        |
|---------------------------------------------------|--------|
| B-593 Raised Profile Labels .....                 | 16, 17 |
| Continuous Tapes for General Identification ..... | 17     |
| Premask Application Tape .....                    | 17     |
| Print Ribbons .....                               | 18     |
| BBP35 & BBP37 Sign & Label Printers .....         | 19     |
| Printer Technical Data .....                      | 19     |
| Printer Accessories .....                         | 20     |
| Material Index .....                              | 21, 22 |
| Which Material for Which Application .....        | 23     |

# Improved Workplace



## Automatic Label Setup

- Printers read critical information from the supply cartridge and then automatically set it up so you can start printing immediately
- No more calibration or wasted labels, no print speed/burn temperature trial labels, no scrolling through screens to select a label and no wasted time setting up label dimensions or text size

## 20-second Material Changeovers

- “Drop in” ribbons and labels mean no complicated threading, assembling spindles, sensor adjustment or calibration steps
- You can get on with the job faster, giving you more time for other tasks

## 12.7 cm per Second Print Speed

- Fast processing time and print speed means you don't have to wait around for your labels



**Fast colour printing, shape cutting, ease-of-use & reliable materials... with Brady's BBP35 and BBP37 sign and label printers you can take your workplace to the next level!**

**BBP™ 35**  
MULTICOLOUR SIGN & LABEL PRINTER

**BBP™ 37**  
MULTICOLOUR & CUT SIGN & LABEL PRINTER



# Brady Materials Are Made To Impress.



## Brady labels last the longest, period

Brady labels stick and stay stuck, plain and simple. In fact, some last up to 10 years outdoors\*. You only need to make them once. And after you make them, they're there for good.

## Options. Lots of options.

We make labels for specific applications. That's why we have hundreds of label types and sizes to choose from. We want you to be 100% confident that you have the right label for your exact application.

## We set the bar high.

There's a reason why Brady materials lead the industry in durability and performance. It's because we design and manufacture the labels ourselves. We put our materials through rigorous, painstaking tests and trials – and nothing leaves our doors until it passes with flying colours. We set the standards high – because we know it's the only way our materials can exceed your expectations.

## With label printing like this, the possibilities are endless.

\*Average expected outdoor life of product will depend on user definition of failure, climatic conditions, mounting techniques and material colour. The up to 8 to 10 year outdoor durability applies to the vinyl label stock only; ribbon durability will vary. A polyester overlaminate is recommended for harsh environments - long term exposure to wind and rain.

## Impressive material lineup

Depending on the customer's needs, the printers can be used with over 400 material parts in 30 different materials designed for:

- Multicolour safety identification signs
- Pipe markers
- 5S labels and general purpose die cut labels
- Production line facility labels



# Applications

## Facility & Safety Identification



Multicolour Safety Signs



Pipe Markers



Machine Safety Labels



GHS/CLP Labels



Warehouse Identification



Safety Tags



Control Panel Labels



Labelling in Food & Bev. Industry



Labelling in Low Light Situations



## B-595 HIGH PERFORMANCE INDOOR/OUTDOOR VINYL

FOR GENERAL FACILITY AND SAFETY IDENTIFICATION: OUR BEST INDUSTRIAL VINYL YET




- Durable, low-shrink vinyl with our most aggressive adhesive
- Conforms to irregular, curved, rough and highly textured surfaces (painted cinder blocks, uneven wood, textured plastics, paper-jacketed pipes, powder-coated surfaces)
- Adheres to “difficult” low-surface energy items (PVC piping, blow-moulded equipment cases, ABS plastics, recycled plastics)



### Facility and Safety Applications:

5S Labels, Pipe Markers, Safety & Warning Labels, Equipment & Panel Labels, Arc Flash & Chemical Labels and More!

| Order Reference  | Colour | Size - Width<br>A (mm) | Size - Length<br>B (m) | Labels per<br>Row | Labels per<br>Roll | Recommended<br>Ribbon | Diagram |
|------------------|--------|------------------------|------------------------|-------------------|--------------------|-----------------------|---------|
| B30C-500-595-BK  | Black  | 12.70                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-500-595-BL  | Blue   | 12.70                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-500-595-BR  | Brown  | 12.70                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-500-595-CL  | Clear  | 12.70                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-500-595-GD  | Gold   | 12.70                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-500-595-GN  | Green  | 12.70                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-500-595-GY  | Grey   | 12.70                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-500-595-OR  | Orange | 12.70                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-500-595-PL  | Purple | 12.70                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-500-595-RD  | Red    | 12.70                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-500-595-WT  | White  | 12.70                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-500-595-YL  | Yellow | 12.70                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-1125-595-BK | Black  | 29.00                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-1125-595-BL | Blue   | 29.00                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-1125-595-BR | Brown  | 29.00                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-1125-595-CL | Clear  | 29.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-1125-595-GD | Gold   | 29.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-1125-595-GN | Green  | 29.00                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-1125-595-GY | Grey   | 29.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-1125-595-OR | Orange | 29.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-1125-595-PL | Purple | 29.00                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-1125-595-RD | Red    | 29.00                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-1125-595-WT | White  | 29.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-1125-595-YL | Yellow | 29.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-2250-595-BK | Black  | 57.00                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-2250-595-BL | Blue   | 57.00                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-2250-595-BR | Brown  | 57.00                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-2250-595-CL | Clear  | 57.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-2250-595-GD | Gold   | 57.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-2250-595-GN | Green  | 57.00                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-2250-595-GY | Grey   | 57.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-2250-595-OR | Orange | 57.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-2250-595-PL | Purple | 57.00                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-2250-595-RD | Red    | 57.00                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-2250-595-WT | White  | 57.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-2250-595-YL | Yellow | 57.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-3000-595-WT | White  | 75.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-3000-595-YL | Yellow | 75.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-4000-595-BK | Black  | 101.00                 | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-4000-595-BL | Blue   | 101.00                 | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-4000-595-BR | Brown  | 101.00                 | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-4000-595-CL | Clear  | 101.00                 | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-4000-595-GD | Gold   | 101.00                 | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-4000-595-GN | Green  | 101.00                 | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-4000-595-GY | Grey   | 101.00                 | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-4000-595-OR | Orange | 101.00                 | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-4000-595-PL | Purple | 101.00                 | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-4000-595-RD | Red    | 101.00                 | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-4000-595-WT | White  | 101.00                 | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-4000-595-YL | Yellow | 101.00                 | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |



See page 21, 22 for full material properties.


## B-569 HIGH PERFORMANCE POLYESTER

FOR LABELLING STAINLESS STEEL AND SMOOTH SURFACES

- Low-halide content for labelling stainless steel pipes and surfaces
- Applies best to very smooth surfaces and ideal for mounting to rigid panels



| Order Reference  | Colour     | Size - Width<br>A (mm) | Size - Length<br>B (m) | Labels per<br>Row | Labels per<br>Roll | Recommended<br>Ribbon | Diagram |
|------------------|------------|------------------------|------------------------|-------------------|--------------------|-----------------------|---------|
| B30C-500-569-BK  | Black      | 12.70                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-500-569-BL  | Blue       | 12.70                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-500-569-BR  | Brown      | 12.70                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-500-569-CL  | Clear      | 12.70                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-500-569-GN  | Green      | 12.70                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-500-569-GY  | Grey       | 12.70                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-500-569-LB  | Light Blue | 12.70                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-500-569-OC  | Ochre      | 12.70                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-500-569-OR  | Orange     | 12.70                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-500-569-PK  | Pink       | 12.70                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-500-569-PL  | Purple     | 12.70                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-500-569-RD  | Red        | 12.70                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-500-569-SB  | Sky Blue   | 12.70                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-500-569-TN  | Tan        | 12.70                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-500-569-WT  | White      | 12.70                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-500-569-YL  | Yellow     | 12.70                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-1125-569-BK | Black      | 29.00                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-1125-569-BL | Blue       | 29.00                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-1125-569-BR | Brown      | 29.00                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-1125-569-CL | Clear      | 29.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-1125-569-GN | Green      | 29.00                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-1125-569-GY | Grey       | 29.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-1125-569-LB | Light Blue | 29.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-1125-569-OC | Ochre      | 29.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-1125-569-OR | Orange     | 29.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-1125-569-PK | Pink       | 29.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-1125-569-PL | Purple     | 29.00                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-1125-569-RD | Red        | 29.00                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-1125-569-SB | Sky Blue   | 29.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-1125-569-TN | Tan        | 29.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-1125-569-WT | White      | 29.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-1125-569-YL | Yellow     | 29.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-2250-569-BK | Black      | 57.00                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-2250-569-BL | Blue       | 57.00                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-2250-569-BR | Brown      | 57.00                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-2250-569-CL | Clear      | 57.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-2250-569-GN | Green      | 57.00                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-2250-569-GY | Grey       | 57.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-2250-569-LB | Light Blue | 57.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-2250-569-OC | Ochre      | 57.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-2250-569-OR | Orange     | 57.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-2250-569-PK | Pink       | 57.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-2250-569-PL | Purple     | 57.00                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-2250-569-RD | Red        | 57.00                  | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-2250-569-SB | Sky Blue   | 57.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-2250-569-TN | Tan        | 57.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-2250-569-WT | White      | 57.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-2250-569-YL | Yellow     | 57.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-3000-569-WT | White      | 75.00                  | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-4000-569-BK | Black      | 101.00                 | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-4000-569-BL | Blue       | 101.00                 | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-4000-569-BR | Brown      | 101.00                 | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-4000-569-CL | Clear      | 101.00                 | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-4000-569-GN | Green      | 101.00                 | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-4000-569-GY | Grey       | 101.00                 | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-4000-569-LB | Light Blue | 101.00                 | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-4000-569-OC | Ochre      | 101.00                 | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-4000-569-OR | Orange     | 101.00                 | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |




>>

See page 21, 22 for full material properties.



## B-569 HIGH PERFORMANCE POLYESTER (CONTINUED)

| Order Reference  | Colour   | Size - Width<br>A (mm) | Size - Length<br>B (m) | Labels per<br>Row | Labels per<br>Roll | Recommended<br>Ribbon | Diagram |
|------------------|----------|------------------------|------------------------|-------------------|--------------------|-----------------------|---------|
| B30C-4000-569-PK | Pink     | 101.00                 | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-4000-569-PL | Purple   | 101.00                 | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-4000-569-RD | Red      | 101.00                 | 30.40                  | 1                 | 1                  | B30-R10000-WT         | ⊙       |
| B30C-4000-569-SB | Sky Blue | 101.00                 | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-4000-569-TN | Tan      | 101.00                 | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-4000-569-WT | White    | 101.00                 | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |
| B30C-4000-569-YL | Yellow   | 101.00                 | 30.40                  | 1                 | 1                  | B30-R10000            | ⊙       |




## B-595 PRE-PRINTED PRE-CUT BLANK SIGN HEADERS

FOR CREATING ARC FLASH AND SAFETY WARNING LABELS IN SECONDS

- Allows the printer to create multi-colour signs fast - in a single print pass
- Indoor/Outdoor grade material conforms to rough, irregular and "difficult to adhere to" surfaces



| Order Reference     |                  | Size - Width<br>A (mm) | Size - Height<br>B (mm) | Labels per<br>Row | Labels per<br>Roll | Recommended<br>Ribbon | Diagram |
|---------------------|------------------|------------------------|-------------------------|-------------------|--------------------|-----------------------|---------|
| B30-25-595-ANSIDA   | <b>⚠ DANGER</b>  | 101.00                 | 152.00                  | 1                 | 175                | B30-R10000            | ⊗       |
| B30-241-595-ANSIDA  | <b>⚠ DANGER</b>  | 57.00                  | 75.00                   | 1                 | 300                | B30-R10000            | ⊗       |
| B30-25-595-ANSICA   | <b>⚠ CAUTION</b> | 101.00                 | 152.00                  | 1                 | 175                | B30-R10000            | ⊗       |
| B30-241-595-ANSICA  | <b>⚠ CAUTION</b> | 57.00                  | 75.00                   | 1                 | 300                | B30-R10000            | ⊗       |
| B30-25-595-ANSIWA   | <b>⚠ WARNING</b> | 101.00                 | 152.00                  | 1                 | 175                | B30-R10000            | ⊗       |
| B30-241-595-ANSIWA  | <b>⚠ WARNING</b> | 57.00                  | 75.00                   | 1                 | 300                | B30-R10000            | ⊗       |
| B30-25-595-ANSINO   | <b>NOTICE</b>    | 101.00                 | 152.00                  | 1                 | 175                | B30-R10000            | ⊗       |
| B30-241-595-ANSINO  | <b>NOTICE</b>    | 57.00                  | 75.00                   | 1                 | 300                | B30-R10000            | ⊗       |
| B30-25-595-OSHADA   | <b>⚠ DANGER</b>  | 101.00                 | 152.00                  | 1                 | 175                | B30-R10000            | ⊗       |
| B30-241-595-OSHADA  | <b>⚠ DANGER</b>  | 57.00                  | 75.00                   | 1                 | 300                | B30-R10000            | ⊗       |
| B30-25-595-OSHACA*  | <b>⚠ CAUTION</b> | 101.00                 | 152.00                  | 1                 | 175                | B30-R10000            | ⊗       |
| B30-241-595-OSHACA* | <b>⚠ CAUTION</b> | 57.00                  | 75.00                   | 1                 | 300                | B30-R10000            | ⊗       |
| B30-25-595-BLNKWT   |                  | 101.00                 | 152.00                  | 1                 | 175                | B30-R10000            | ▲       |
| B30-241-595-BLNKWT  |                  | 57.00                  | 75.00                   | 1                 | 300                | B30-R10000            | ▲       |
| B30-242-595-BLNKWT  |                  | 29.00                  | 72.00                   | 1                 | 300                | B30-R10000            | ▲       |
| B30-219-595-BLNKWT  |                  | 57.00                  | 98.00                   | 1                 | 250                | B30-R10000            | ▲       |
| B30-25-595-BLNKYL   |                  | 101.00                 | 152.00                  | 1                 | 175                | B30-R10000            | ▲       |
| B30-241-595-BLNKYL  |                  | 57.00                  | 75.00                   | 1                 | 300                | B30-R10000            | ▲       |



**i** Create Arc Flash labels and safety warning labels by using these supplies with the built-in templates of the BBP35/37 printer or with the templates in the Workstation software.

\*The text area below the header is yellow. Text area below other signs are white  
B30-R10000 coloured ribbons can also be used on these parts


## B-595 PRE-PRINTED RIGHT-TO-KNOW CHEMICAL LABELS

FOR QUICKLY CREATING NFPA AND COLOUR BAR LABELS

- Allows the printer to produce 5 colour chemical labels in a single print pass
- Indoor/Outdoor grade material withstands exposure to moisture, chemicals and handling



| Order Reference  |  | Size - Width<br>A (mm) | Size - Height<br>B (mm) | Labels per<br>Row | Labels per<br>Roll | Recommended<br>Ribbon | Diagram |
|------------------|--|------------------------|-------------------------|-------------------|--------------------|-----------------------|---------|
| B30-243-595-NFPA |  | 101.00                 | 159.00                  | 1                 | 170                | B30-R10000            | ▲       |
| B30-161-595-NFPA |  | 101.00                 | 101.00                  | 1                 | 240                | B30-R10000            | ▲       |
| B30-243-595-CB   |  | 101.00                 | 159.00                  | 1                 | 170                | B30-R10000            | ▲       |
| B30-244-595-CB   |  | 57.00                  | 57.00                   | 1                 | 365                | B30-R10000            | ▲       |
| B30-244-595-NFPA |  | 57.00                  | 57.00                   | 1                 | 365                | B30-R10000            | ▲       |
| B30-244-595-DIAM |  | 57.00                  | 57.00                   | 1                 | 365                | B30-R10000            | ▲       |
| B30-245-595-CB   |  | 57.00                  | 108.00                  | 1                 | 240                | B30-R10000            | ▲       |
| B30-245-595-NFPA |  | 57.00                  | 108.00                  | 1                 | 240                | B30-R10000            | ▲       |
| B30-244-595-HMIG |  | 57.00                  | 57.00                   | 1                 | 365                | B30-R10000            | ▲       |
| B30-246-595-HMIG |  | 29.00                  | 82.50                   | 1                 | 300                | B30-R10000            | ▲       |
| B30-246-595-NFR  |  | 29.00                  | 82.50                   | 1                 | 300                | B30-R10000            | ▲       |




## B-551 NON-ADHESIVE PRE-PRINTED & PRE-CUT SAFETY TAGS

PRE-PRINTED AND PRE-CUT TO SAVE YOU TIME

- Non-adhesive semi-rigid polyester card stock
  - Tags are pre-cut with hole and chamfered corners
  - Perforated between tags
  - Snap-in plastic grommets available for extra strength around mounting hole.
- Order reference: 020596



| Order Reference    |  | Size - Width<br>A (mm) | Size - Height<br>B (mm) | Labels per<br>Row | Labels per<br>Roll | Recommended<br>Ribbon | Diagram |
|--------------------|--|------------------------|-------------------------|-------------------|--------------------|-----------------------|---------|
| B30-255-551-ANSIDA |  | 82.55                  | 146.05                  | 1                 | 100                | B30-R10000            | ☒       |
| B30-255-551-OSHADA |  | 82.55                  | 146.05                  | 1                 | 100                | B30-R10000            | ☒       |
| B30-255-551-ANSICA |  | 82.55                  | 146.05                  | 1                 | 100                | B30-R10000            | ☒       |



See page 21, 22 for full material properties.




## B-7569 PRE-PRINTED GHS/CLP CHEMICAL LABELS

PRINT 2 COLOUR GHS LABELS IN ONE FAST PRINT PASS

- Blank labels with pre-printed red diamonds allow printer to produce 2 colour GHS/CLP labels in one print pass
- 3 sizes of labels that match templates in the Brady Workstation CLP (GHS) app. Find out more at [workstation.bradyd.com](http://workstation.bradyd.com)!
- Indoor/outdoor vinyl material withstands exposure to moisture, chemicals and handling



| Order Reference    |  | Size - Width<br>A (mm) | Size - Height<br>B (mm) | Labels per<br>Row | Labels per<br>Roll | Recommended<br>Ribbon | Diagram |
|--------------------|--|------------------------|-------------------------|-------------------|--------------------|-----------------------|---------|
| B30-260-7569-CLP1  |  | 55.00                  | 85.00                   | 1                 | 340                | B30-R10000            |         |
| B30-260-7569-CLP2  |  | 55.00                  | 85.00                   | 1                 | 340                | B30-R10000            |         |
| B30-260-7569-CLP3A |  | 55.00                  | 85.00                   | 1                 | 340                | B30-R10000            |         |
| B30-260-7569-CLP3B |  | 55.00                  | 85.00                   | 1                 | 340                | B30-R10000            |         |
| B30-260-7569-CLP4A |  | 55.00                  | 85.00                   | 1                 | 340                | B30-R10000            |         |
| B30-260-7569-CLP4B |  | 55.00                  | 85.00                   | 1                 | 340                | B30-R10000            |         |
| B30-261-7569-CLP1  |  | 75.00                  | 110.00                  | 1                 | 270                | B30-R10000            |         |
| B30-261-7569-CLP2  |  | 75.00                  | 110.00                  | 1                 | 270                | B30-R10000            |         |
| B30-261-7569-CLP3A |  | 75.00                  | 110.00                  | 1                 | 270                | B30-R10000            |         |
| B30-261-7569-CLP3B |  | 75.00                  | 110.00                  | 1                 | 270                | B30-R10000            |         |
| B30-261-7569-CLP4A |  | 75.00                  | 110.00                  | 1                 | 270                | B30-R10000            |         |
| B30-261-7569-CLP4B |  | 75.00                  | 110.00                  | 1                 | 270                | B30-R10000            |         |
| B30-262-7569-CLP1  |  | 105.00                 | 155.00                  | 1                 | 200                | B30-R10000            |         |
| B30-262-7569-CLP2  |  | 105.00                 | 155.00                  | 1                 | 200                | B30-R10000            |         |
| B30-262-7569-CLP3A |  | 105.00                 | 155.00                  | 1                 | 200                | B30-R10000            |         |
| B30-262-7569-CLP3B |  | 105.00                 | 155.00                  | 1                 | 200                | B30-R10000            |         |
| B30-262-7569-CLP4A |  | 105.00                 | 155.00                  | 1                 | 200                | B30-R10000            |         |
| B30-262-7569-CLP4B |  | 105.00                 | 155.00                  | 1                 | 200                | B30-R10000            |         |



## BRADY WORKSTATION CLP (GHS) LABELS APP

The latest in label creation software, Brady Workstation changes the way you create labels on your PC. Instead of using a CD to upload label-making software on your computer, you simply download the Brady Workstation platform to your desktop and add the label-creation apps you want.

The CLP (GHS) Labels app makes aligning with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS) amazingly simple.

It features easy uploading and storing of Safety Data Sheet (SDS) information and label creation capabilities.




**DISCOVER IT AT [WORKSTATION.BRADYID.COM](http://WORKSTATION.BRADYID.COM)**


## B-483/B-634 TOUGHSTRIPE™ FLOOR MARKING TAPE WITH OVERLAMINATE

IDEAL FOR MARKING AISLES, PASSAGEWAYS AND STORAGE LOCATIONS

- Create custom-printed floor labels, with easy 3-step process: print label, position on floor, apply overlaminate
- Each kit includes 1 roll of B-483 tape and 1 roll of B-634 overlaminate



| Order Reference    | Colour | Size - Width A (mm) | Size - Length B (m) | Labels per Row | Labels per Roll | Recommended Ribbon | Diagram |
|--------------------|--------|---------------------|---------------------|----------------|-----------------|--------------------|---------|
| B30C-1125-483BK-KT | Black  | 29.00               | 30.40               | 1              | 1               | B30-R4400          | ⊙       |
| B30C-1125-483BL-KT | Blue   | 29.00               | 30.40               | 1              | 1               | B30-R4400          | ⊙       |
| B30C-1125-483GN-KT | Green  | 29.00               | 30.40               | 1              | 1               | B30-R4400          | ⊙       |
| B30C-1125-483OR-KT | Orange | 29.00               | 30.40               | 1              | 1               | B30-R6000HF        | ⊙       |
| B30C-1125-483RD-KT | Red    | 29.00               | 30.40               | 1              | 1               | B30-R4400          | ⊙       |
| B30C-1125-483WT-KT | White  | 29.00               | 30.40               | 1              | 1               | B30-R6000HF        | ⊙       |
| B30C-1125-483YL-KT | Yellow | 29.00               | 30.40               | 1              | 1               | B30-R6000HF        | ⊙       |
| B30C-2250-483BK-KT | Black  | 57.00               | 30.40               | 1              | 1               | B30-R4400          | ⊙       |
| B30C-2250-483BL-KT | Blue   | 57.00               | 30.40               | 1              | 1               | B30-R4400          | ⊙       |
| B30C-2250-483GN-KT | Green  | 57.00               | 30.40               | 1              | 1               | B30-R4400          | ⊙       |
| B30C-2250-483OR-KT | Orange | 57.00               | 30.40               | 1              | 1               | B30-R6000HF        | ⊙       |
| B30C-2250-483RD-KT | Red    | 57.00               | 30.40               | 1              | 1               | B30-R4400          | ⊙       |
| B30C-2250-483WT-KT | White  | 57.00               | 30.40               | 1              | 1               | B30-R6000HF        | ⊙       |
| B30C-2250-483YL-KT | Yellow | 57.00               | 30.40               | 1              | 1               | B30-R6000HF        | ⊙       |
| B30C-3000-483WT-KT | White  | 75.00               | 30.40               | 1              | 1               | B30-R6000HF        | ⊙       |
| B30C-3000-483YL-KT | Yellow | 75.00               | 30.40               | 1              | 1               | B30-R6000HF        | ⊙       |
| B30C-4000-483BK-KT | Black  | 101.00              | 30.40               | 1              | 1               | B30-R4400          | ⊙       |
| B30C-4000-483BL-KT | Blue   | 101.00              | 30.40               | 1              | 1               | B30-R4400          | ⊙       |
| B30C-4000-483GN-KT | Green  | 101.00              | 30.40               | 1              | 1               | B30-R4400          | ⊙       |
| B30C-4000-483OR-KT | Orange | 101.00              | 30.40               | 1              | 1               | B30-R6000HF        | ⊙       |
| B30C-4000-483RD-KT | Red    | 101.00              | 30.40               | 1              | 1               | B30-R4400          | ⊙       |
| B30C-4000-483WT-KT | White  | 101.00              | 30.40               | 1              | 1               | B30-R6000HF        | ⊙       |
| B30C-4000-483YL-KT | Yellow | 101.00              | 30.40               | 1              | 1               | B30-R6000HF        | ⊙       |



**Area Marking**

**Brady has an extensive range of Area Marking Solutions. Contact your Brady distributor if you wish to receive a catalogue for these products.**

See page 21, 22 for full material properties.





## B-854 AND B-855 TOUGHWASH WASHDOWN RESISTANT LABELS

WITHSTANDS PRESSURES OF HIGH HEAT, HARSH CHEMICALS AND NUMEROUS WASHDOWN CYCLES

- Ideal for use in the Food & Beverage industry
- Legible and long-lasting for even the toughest washdown cycles
- B-854 offers metal detectable layer to detect foreign debris in food stream



| Order Reference         |  | Size - Width A (mm) | Size - Height B (mm) | Size - Length B (m) | Labels per Row | Labels per Roll | Recommended Ribbon | Diagram |
|-------------------------|--|---------------------|----------------------|---------------------|----------------|-----------------|--------------------|---------|
| <b>Die-cut Labels</b>   |  |                     |                      |                     |                |                 |                    |         |
| B30-25-855-WARN         |  | 101.60              | 152.40               | -                   | 1              | 100             | B30-R6000HF        | ⊗       |
| B30-25-855-DANG         |  | 101.60              | 152.40               | -                   | 1              | 100             | B30-R6000HF        | ⊗       |
| B30-25-855-CAUT         |  | 101.60              | 152.40               | -                   | 1              | 100             | B30-R6000HF        | ⊗       |
| B30-25-854-WARN         |  | 101.60              | 152.40               | -                   | 1              | 100             | B30-R6000HF        | ⊗       |
| B30-25-854-DANG         |  | 101.60              | 152.40               | -                   | 1              | 100             | B30-R6000HF        | ⊗       |
| B30-25-854-CAUT         |  | 101.60              | 152.40               | -                   | 1              | 100             | B30-R6000HF        | ⊗       |
| <b>Continuous rolls</b> |  |                     |                      |                     |                |                 |                    |         |
| B30C-1125-855-YL        |  | 28.58               | -                    | 15.24               | 1              | 1               | B30-R6000HF        | ⊙       |
| B30C-1125-855-WT        |  | 28.58               | -                    | 15.24               | 1              | 1               | B30-R6000HF        | ⊙       |
| B30C-2250-855-YL        |  | 57.15               | -                    | 15.24               | 1              | 1               | B30-R6000HF        | ⊙       |
| B30C-2250-855-WT        |  | 57.15               | -                    | 15.24               | 1              | 1               | B30-R6000HF        | ⊙       |
| B30C-4000-855-YL        |  | 101.60              | -                    | 15.24               | 1              | 1               | B30-R6000HF        | ⊙       |
| B30C-4000-855-WT        |  | 101.60              | -                    | 15.24               | 1              | 1               | B30-R6000HF        | ⊙       |
| B30C-4000-854-YL        |  | 101.60              | -                    | 15.24               | 1              | 1               | B30-R6000HF        | ⊙       |
| B30C-4000-854-WT        |  | 101.60              | -                    | 15.24               | 1              | 1               | B30-R6000HF        | ⊙       |



## B-584 RETRO REFLECTIVE TAPE

FOR HIGHLY REFLECTIVE IDENTIFICATION THAT SHINES BACK BRIGHTLY WHEN STRUCK BY LIGHT

- Ideal for labelling outdoor utility poles and pedestals, jobsite equipment and roof-top equipment
- Recommended low light or inclement weather conditions



| Order Reference  | Colour            | Size - Width A (mm) | Size - Length B (m) | Labels per Row | Labels per Roll | Recommended Ribbon | Diagram |
|------------------|-------------------|---------------------|---------------------|----------------|-----------------|--------------------|---------|
| B30C-1125-584-OR | Reflective Orange | 28.58               | 15.20               | 1              | 1               | B30-R10000         | ⊙       |
| B30C-1125-584-SL | Silver            | 28.58               | 15.20               | 1              | 1               | B30-R10000         | ⊙       |
| B30C-1125-584-YL | Yellow            | 28.58               | 15.20               | 1              | 1               | B30-R10000         | ⊙       |
| B30C-2250-584-OR | Reflective Orange | 57.15               | 15.20               | 1              | 1               | B30-R10000         | ⊙       |
| B30C-2250-584-SL | Silver            | 57.15               | 15.20               | 1              | 1               | B30-R10000         | ⊙       |
| B30C-2250-584-YL | Yellow            | 57.15               | 15.20               | 1              | 1               | B30-R10000         | ⊙       |
| B30C-4000-584-OR | Reflective Orange | 101.60              | 15.20               | 1              | 1               | B30-R10000         | ⊙       |
| B30C-4000-584-SL | Silver            | 101.60              | 15.20               | 1              | 1               | B30-R10000         | ⊙       |
| B30C-4000-584-YL | Yellow            | 101.60              | 15.20               | 1              | 1               | B30-R10000         | ⊙       |

See page 21, 22 for full material properties.


## B-526 BRADYGLO™ HIGH-INTENSITY PHOTOLUMINESCENT TAPE

FOR GLOW-IN-THE DARK IDENTIFICATION - UP TO 10 HOURS

- Designed for directional and evacuation marking
- Ideal for marking emergency utility shut-offs, fire extinguishers, alarm pulls and vital equipment controls



| Order Reference | Colour         | Size - Width A (mm) | Size - Length B (m) | Labels per Row | Labels per Roll | Recommended Ribbon | Diagram |
|-----------------|----------------|---------------------|---------------------|----------------|-----------------|--------------------|---------|
| B30C-1125-526   | Luminous Green | 29.00               | 15.20               | 1              | 1               | B30-R10000         | ⊙       |
| B30C-2250-526   | Luminous Green | 57.00               | 15.20               | 1              | 1               | B30-R10000         | ⊙       |
| B30C-4000-526   | Luminous Green | 101.00              | 15.20               | 1              | 1               | B30-R10000         | ⊙       |



Brady has a range of photoluminescent area marking products which can be the perfect compliment to the BradyGlo labels and signs printed on the BBP35 and BBP37 Label Printers. Contact your Brady distributor or visit [www.bradyeurope.com](http://www.bradyeurope.com) for more information.


## B-595 AND B-7569 PRE-CUT BLANK LABELS

FOR GENERAL PURPOSE, PEEL-OFF-AND-APPLY IDENTIFICATION

- Ideal for a wide range of labelling applications
- Includes two sizes that are pre-cut and pre-sized to fit heavy-duty rigid tags
- Indoor/Outdoor grade material



| Order Reference    | Colour | Size - Width A (mm) | Size - Height B (mm) | Labels per Row | Labels per Roll | Recommended Ribbon | Diagram |
|--------------------|--------|---------------------|----------------------|----------------|-----------------|--------------------|---------|
| B30-242-7569-WT    | White  | 29.00               | 72.00                | 1              | 300             | B30-R10000         | ▲       |
| B30-242-595-BLNKWT | White  | 29.00               | 72.00                | 1              | 300             | B30-R10000         | ▲       |
| B30-241-7569-WT    | White  | 57.00               | 75.00                | 1              | 300             | B30-R10000         | ▲       |
| B30-241-7569-YL    | Yellow | 57.00               | 75.00                | 1              | 300             | B30-R10000         | ▲       |
| B30-241-595-BLNKWT | White  | 57.00               | 75.00                | 1              | 300             | B30-R10000         | ▲       |
| B30-241-595-BLNKYL | Yellow | 57.00               | 75.00                | 1              | 300             | B30-R10000         | ▲       |
| B30-219-7569-WT    | White  | 57.00               | 98.00                | 1              | 250             | B30-R10000         | ▲       |
| B30-219-595-BLNKWT | White  | 57.00               | 98.00                | 1              | 250             | B30-R10000         | ▲       |
| B30-25-7569-WT     | White  | 101.00              | 152.00               | 1              | 175             | B30-R10000         | ▲       |
| B30-25-7569-YL     | Yellow | 101.00              | 152.00               | 1              | 175             | B30-R10000         | ▲       |
| B30-25-595-BLNKWT  | White  | 101.00              | 152.00               | 1              | 175             | B30-R10000         | ▲       |
| B30-25-595-BLNKYL  | Yellow | 101.00              | 152.00               | 1              | 175             | B30-R10000         | ▲       |



See page 21, 22 for full material properties.




## B-551 Non-ADHESIVE TAG STOCK

FOR SAFETY, LOCKOUT AND GENERAL PURPOSE HANGING TAGS

- Non-adhesive, polyester stock
- Hole punch available separately. Order reference: 020591
- Optional snap-in grommets available. Order Reference: 020596



| Order Reference  | Colour | Size - Width A (mm) | Size - Length B (m) | Size - Height B (mm) | Labels per Row | Labels per Roll | Recommended Ribbon | Diagram |
|------------------|--------|---------------------|---------------------|----------------------|----------------|-----------------|--------------------|---------|
| B30C-2500-551-WT | White  | 64.00               | 15.24               | -                    | 1              | 1               | B30-R10000         |         |
| B30-255-551-WT   | White  | 82.55               | -                   | 146.05               | 1              | 100             | B30-R10000         |         |
| B30C-3250-551-WT | White  | 83.00               | 15.24               | -                    | 1              | 1               | B30-R10000         |         |
| B30C-4250-551-WT | White  | 108.00              | 15.24               | -                    | 1              | 1               | B30-R10000         |         |



## COLOURED NYLON TIES

COLOURED NYLON TIES PROVIDE YOU WITH AN OPTION OF COLOUR CODED APPLICATION.

| Order Reference | Colour | Width (mm) | Length (mm) | Packaging |
|-----------------|--------|------------|-------------|-----------|
| 622646          | White  | 3.20       | 140.00      | 100       |
| 622680          | Blue   | 3.60       | 140.00      | 100       |
| 622681          | Green  | 3.60       | 140.00      | 100       |
| 622682          | Orange | 3.60       | 140.00      | 100       |
| 622683          | Purple | 3.60       | 140.00      | 100       |
| 622684          | Red    | 3.60       | 140.00      | 100       |
| 622685          | Yellow | 3.60       | 140.00      | 100       |
| 622613          | Black  | 3.60       | 203.00      | 100       |
| 622647          | White  | 3.60       | 203.00      | 100       |

| Order Reference | Colour | Width (mm) | Length (mm) | Packaging |
|-----------------|--------|------------|-------------|-----------|
| 229956          | Blue   | 3.60       | 205.00      | 100       |
| 229957          | Red    | 3.60       | 205.00      | 100       |
| 229958          | Orange | 3.60       | 205.00      | 100       |
| 229959          | Yellow | 3.60       | 205.00      | 100       |
| 229960          | Green  | 3.60       | 205.00      | 100       |
| 229961          | Purple | 3.60       | 205.00      | 100       |




## B-509 PRINTABLE MAGNETIC SUPPLY

EASIEST AND QUICKEST MATERIAL FOR REMOVING AND REPOSITIONING

- Non-adhesive magnetic material that can be printed on directly
- Ideal for reusable and repositionable identification applications



| Order Reference  | Colour | Size - Width A (mm) | Size - Length B (m) | Labels per Row | Labels per Roll | Recommended Ribbon | Diagram |
|------------------|--------|---------------------|---------------------|----------------|-----------------|--------------------|---------|
| B30C-2500-509-WT | White  | 64.00               | 7.60                | 1              | 1               | B30-R6000HF        |         |
| B30C-2500-509-YL | Yellow | 64.00               | 7.60                | 1              | 1               | B30-R6000HF        |         |
| B30C-4250-509-WT | White  | 108.00              | 7.60                | 1              | 1               | B30-R6000HF        |         |
| B30C-4250-509-YL | Yellow | 108.00              | 7.60                | 1              | 1               | B30-R6000HF        |         |




## B-549 COLD TEMPERATURE APPLICATION MATERIAL

FOR IDENTIFICATION IN TEMPERATURES AS COLD AS -40°C

- Special adhesive permanently adheres to extremely cold surfaces
- Ideal for cold storage warehouses, fridges, freezers and short-term outdoor use in winter



| Order Reference  | Colour | Size - Width A (mm) | Size - Length B (m) | Labels per Row | Labels per Roll | Recommended Ribbon | Diagram |
|------------------|--------|---------------------|---------------------|----------------|-----------------|--------------------|---------|
| B30C-1125-549-WT | White  | 29.00               | 30.40               | 1              | 1               | B30-R10000         |         |
| B30C-1125-549-YL | Yellow | 29.00               | 30.40               | 1              | 1               | B30-R10000         |         |
| B30C-2250-549-WT | White  | 57.00               | 30.40               | 1              | 1               | B30-R10000         |         |
| B30C-2250-549-YL | Yellow | 57.00               | 30.40               | 1              | 1               | B30-R10000         |         |
| B30C-4000-549-WT | White  | 101.00              | 30.40               | 1              | 1               | B30-R10000         |         |
| B30C-4000-549-YL | Yellow | 101.00              | 30.40               | 1              | 1               | B30-R10000         |         |




## B-581 REPOSITIONABLE VINYL

FOR 5S AND LEAN APPLICATIONS

- Aggressive adhesive stays in place but removes cleanly without leaving adhesive residue
- Ideal for temporary, removable and repositionable labels, like 5S and lean inventory labels



| Order Reference  | Colour | Size - Width A (mm) | Size - Length B (m) | Labels per Row | Labels per Roll | Recommended Ribbon | Diagram |
|------------------|--------|---------------------|---------------------|----------------|-----------------|--------------------|---------|
| B30C-500-581-WT  | White  | 12.50               | 30.40               | 1              | 1               | B30-R10000         | ⊙       |
| B30C-500-581-YL  | Yellow | 12.50               | 30.40               | 1              | 1               | B30-R10000         | ⊙       |
| B30C-1125-581-WT | White  | 29.00               | 30.40               | 1              | 1               | B30-R10000         | ⊙       |
| B30C-1125-581-YL | Yellow | 29.00               | 30.40               | 1              | 1               | B30-R10000         | ⊙       |
| B30C-2250-581-WT | White  | 57.00               | 30.40               | 1              | 1               | B30-R10000         | ⊙       |
| B30C-2250-581-YL | Yellow | 57.00               | 30.40               | 1              | 1               | B30-R10000         | ⊙       |
| B30C-4000-581-WT | White  | 101.00              | 30.40               | 1              | 1               | B30-R10000         | ⊙       |
| B30C-4000-581-YL | Yellow | 101.00              | 30.40               | 1              | 1               | B30-R10000         | ⊙       |




## B-7569 INDOOR/OUTDOOR VINYL

GENERAL PURPOSE INDUSTRIAL VINYL FOR INDOOR/OUTDOOR USAGE

- High gloss, durable and flexible identification material
- Adheres to difficult low surface energy materials
- Can handle up to 75°C, which meets industry maintenance temperatures
- Low-shrink Vinyl



| Order Reference   | Colour | Size - Width A (mm) | Size - Length B (m) | Labels per Row | Labels per Roll | Recommended Ribbon | Diagram |
|-------------------|--------|---------------------|---------------------|----------------|-----------------|--------------------|---------|
| B30C-500-7569-BK  | Black  | 12.70               | 30.00               | 1              | 1               | B30-R10000-WT      | ⊙       |
| B30C-500-7569-BL  | Blue   | 12.70               | 30.00               | 1              | 1               | B30-R10000-WT      | ⊙       |
| B30C-500-7569-GN  | Green  | 12.70               | 30.00               | 1              | 1               | B30-R10000-WT      | ⊙       |
| B30C-500-7569-OR  | Orange | 12.70               | 30.00               | 1              | 1               | B30-R10000         | ⊙       |
| B30C-500-7569-RD  | Red    | 12.70               | 30.00               | 1              | 1               | B30-R10000-WT      | ⊙       |
| B30C-500-7569-WT  | White  | 12.70               | 30.00               | 1              | 1               | B30-R10000         | ⊙       |
| B30C-500-7569-YL  | Yellow | 12.70               | 30.00               | 1              | 1               | B30-R10000         | ⊙       |
| B30C-1125-7569-BK | Black  | 29.00               | 30.00               | 1              | 1               | B30-R10000-WT      | ⊙       |
| B30C-1125-7569-BL | Blue   | 29.00               | 30.00               | 1              | 1               | B30-R10000-WT      | ⊙       |
| B30C-1125-7569-GN | Green  | 29.00               | 30.00               | 1              | 1               | B30-R10000-WT      | ⊙       |
| B30C-1125-7569-OR | Orange | 29.00               | 30.00               | 1              | 1               | B30-R10000         | ⊙       |
| B30C-1125-7569-RD | Red    | 29.00               | 30.00               | 1              | 1               | B30-R10000-WT      | ⊙       |
| B30C-1125-7569-WT | White  | 29.00               | 30.00               | 1              | 1               | B30-R10000         | ⊙       |
| B30C-1125-7569-YL | Yellow | 29.00               | 30.00               | 1              | 1               | B30-R10000         | ⊙       |
| B30C-2250-7569-BK | Black  | 57.00               | 30.00               | 1              | 1               | B30-R10000-WT      | ⊙       |
| B30C-2250-7569-BL | Blue   | 57.00               | 30.00               | 1              | 1               | B30-R10000-WT      | ⊙       |
| B30C-2250-7569-GN | Green  | 57.00               | 30.00               | 1              | 1               | B30-R10000-WT      | ⊙       |
| B30C-2250-7569-OR | Orange | 57.00               | 30.00               | 1              | 1               | B30-R10000         | ⊙       |
| B30C-2250-7569-RD | Red    | 57.00               | 30.00               | 1              | 1               | B30-R10000-WT      | ⊙       |
| B30C-2250-7569-WT | White  | 57.00               | 30.00               | 1              | 1               | B30-R10000         | ⊙       |
| B30C-2250-7569-YL | Yellow | 57.00               | 30.00               | 1              | 1               | B30-R10000         | ⊙       |
| B30C-3000-7569-WT | White  | 75.00               | 30.00               | 1              | 1               | B30-R10000         | ⊙       |
| B30C-3000-7569-YL | Yellow | 75.00               | 30.00               | 1              | 1               | B30-R10000         | ⊙       |
| B30C-4000-7569-BK | Black  | 101.00              | 30.00               | 1              | 1               | B30-R10000-WT      | ⊙       |
| B30C-4000-7569-BL | Blue   | 101.00              | 30.00               | 1              | 1               | B30-R10000-WT      | ⊙       |
| B30C-4000-7569-GN | Green  | 101.00              | 30.00               | 1              | 1               | B30-R10000-WT      | ⊙       |
| B30C-4000-7569-OR | Orange | 101.00              | 30.00               | 1              | 1               | B30-R10000         | ⊙       |
| B30C-4000-7569-RD | Red    | 101.00              | 30.00               | 1              | 1               | B30-R10000-WT      | ⊙       |
| B30C-4000-7569-WT | White  | 101.00              | 30.00               | 1              | 1               | B30-R10000         | ⊙       |
| B30C-4000-7569-YL | Yellow | 101.00              | 30.00               | 1              | 1               | B30-R10000         | ⊙       |



See page 21, 22 for full material properties.





## B-593 RAISED PROFILE LABELS - PUSH BUTTON STYLE

LOWER COST THAN ENGRAVED LEGEND PLATES

- High gloss, polyester label with thick raised profile and ultra-aggressive adhesive (total thickness = 0.65 mm)
- High performance, low cost substitute to engraved plates
- 10 year outdoor durability rating
- On-demand labelling: labels print out in less than 4 seconds
- 5 push button sizes (including keyed with 22.50 and 30.50 mm hole diam and non-keyed with 22.50 mm hole diam)



| Order Reference   | Colour | Size - Width A (mm) | Size - Height B (mm) | Hole Diameter C (mm) | Vertical Repeat D (mm) | Labels per Row | Labels per Roll | Recommended Ribbon | Diagram |
|-------------------|--------|---------------------|----------------------|----------------------|------------------------|----------------|-----------------|--------------------|---------|
| B30EP-167-593-WT  | White  | 38.10               | 30.48                | 22.50                | 44.50                  | 1              | 200             | B30-R6000HF        |         |
| B30EP-167-593-RD  | Red    | 38.10               | 30.48                | 22.50                | 44.50                  | 1              | 200             | B30-R4400-WT       |         |
| B30EP-167-593-YL  | Yellow | 38.10               | 30.48                | 22.50                | 44.50                  | 1              | 200             | B30-R6000HF        |         |
| B30EP-167-593-GN  | Green  | 38.10               | 30.48                | 22.50                | 44.50                  | 1              | 200             | B30-R4400-WT       |         |
| B30EP-167-593-BK  | Black  | 38.10               | 30.48                | 22.50                | 44.50                  | 1              | 200             | B30-R4400-WT       |         |
| B30EP-167U-593-WT | White  | 38.10               | 30.48                | 22.50                | 44.50                  | 1              | 200             | B30-R6000HF        |         |
| B30EP-167U-593-RD | Red    | 38.10               | 30.48                | 22.50                | 44.50                  | 1              | 200             | B30-R4400-WT       |         |
| B30EP-167U-593-YL | Yellow | 38.10               | 30.48                | 22.50                | 44.50                  | 1              | 200             | B30-R6000HF        |         |
| B30EP-167U-593-GN | Green  | 38.10               | 30.48                | 22.50                | 44.50                  | 1              | 200             | B30-R4400-WT       |         |
| B30EP-167U-593-BK | Black  | 38.10               | 30.48                | 22.50                | 44.50                  | 1              | 200             | B30-R4400-WT       |         |
| B30EP-169-593-WT  | White  | 45.72               | 45.72                | 30.50                | 50.80                  | 1              | 190             | B30-R6000HF        |         |
| B30EP-169-593-RD  | Red    | 45.72               | 45.72                | 30.50                | 50.80                  | 1              | 190             | B30-R4400-WT       |         |
| B30EP-169-593-YL  | Yellow | 45.72               | 45.72                | 30.50                | 50.80                  | 1              | 190             | B30-R6000HF        |         |
| B30EP-169-593-GN  | Green  | 45.72               | 45.72                | 30.50                | 50.80                  | 1              | 190             | B30-R4400-WT       |         |
| B30EP-169-593-BK  | Black  | 45.72               | 45.72                | 30.50                | 50.80                  | 1              | 190             | B30-R4400-WT       |         |
| B30EP-168-593-WT  | White  | 48.26               | 30.48                | 22.50                | 54.00                  | 1              | 180             | B30-R6000HF        |         |
| B30EP-168-593-RD  | Red    | 48.26               | 30.48                | 22.50                | 54.00                  | 1              | 180             | B30-R4400-WT       |         |
| B30EP-168-593-YL  | Yellow | 48.26               | 30.48                | 22.50                | 54.00                  | 1              | 180             | B30-R6000HF        |         |
| B30EP-168-593-GN  | Green  | 48.26               | 30.48                | 22.50                | 54.00                  | 1              | 180             | B30-R4400-WT       |         |
| B30EP-168-593-BK  | Black  | 48.26               | 30.48                | 22.50                | 54.00                  | 1              | 180             | B30-R4400-WT       |         |
| B30EP-170-593-WT  | White  | 60.96               | 60.96                | 30.50                | 66.70                  | 1              | 145             | B30-R6000HF        |         |
| B30EP-170-593-RD  | Red    | 60.96               | 60.96                | 30.50                | 66.70                  | 1              | 145             | B30-R4400-WT       |         |
| B30EP-170-593-YL  | Yellow | 60.96               | 60.96                | 30.50                | 66.70                  | 1              | 145             | B30-R6000HF        |         |
| B30EP-170-593-GN  | Green  | 60.96               | 60.96                | 30.50                | 66.70                  | 1              | 145             | B30-R4400-WT       |         |
| B30EP-170-593-BK  | Black  | 60.96               | 60.96                | 30.50                | 66.70                  | 1              | 145             | B30-R4400-WT       |         |




## B-593 RAISED PROFILE LABELS

LOWER COST THAN ENGRAVED LEGEND PLATES

- High gloss, polyester label with thick raised profile and ultra-aggressive adhesive (0.65 mm)
- Ideal for inside-panel backer board labels and front-of-enclosure labelling
- On-demand labelling: labels print out in less than 4 seconds
- No need to abbreviate your text to avoid per character engraving charges
- 10-year outdoor durability rating
- 6 colours, 7 rectangular sizes




| Order Reference  | Colour | Size - Width A (mm) | Size - Height B (mm) | Vertical Repeat D (mm) | Labels per Row | Labels per Roll | Recommended Ribbon | Diagram |
|------------------|--------|---------------------|----------------------|------------------------|----------------|-----------------|--------------------|---------|
| B30EP-171-593-WT | White  | 26.92               | 12.70                | 19.10                  | 1              | 500             | B30-R6000HF        |         |
| B30EP-171-593-RD | Red    | 26.92               | 12.70                | 19.10                  | 1              | 500             | B30-R4400-WT       |         |
| B30EP-171-593-YL | Yellow | 26.92               | 12.70                | 19.10                  | 1              | 500             | B30-R6000HF        |         |
| B30EP-171-593-GN | Green  | 26.92               | 12.70                | 19.10                  | 1              | 500             | B30-R4400-WT       |         |
| B30EP-171-593-SL | Silver | 26.92               | 12.70                | 19.10                  | 1              | 500             | B30-R6000HF        |         |
| B30EP-171-593-BK | Black  | 26.92               | 12.70                | 19.10                  | 1              | 500             | B30-R4400-WT       |         |
| B30EP-172-593-WT | White  | 44.99               | 14.99                | 21.60                  | 1              | 450             | B30-R6000HF        |         |
| B30EP-172-593-RD | Red    | 44.99               | 14.99                | 21.60                  | 1              | 450             | B30-R4400-WT       |         |
| B30EP-172-593-YL | Yellow | 44.99               | 14.99                | 21.60                  | 1              | 450             | B30-R6000HF        |         |
| B30EP-172-593-GN | Green  | 44.99               | 14.99                | 21.60                  | 1              | 450             | B30-R4400-WT       |         |
| B30EP-172-593-SL | Silver | 44.99               | 14.99                | 21.60                  | 1              | 450             | B30-R6000HF        |         |
| B30EP-172-593-BK | Black  | 44.99               | 14.99                | 21.60                  | 1              | 450             | B30-R4400-WT       |         |



## B-593 RAISED PROFILE LABELS (CONTINUED)

| Order Reference  | Colour | Size - Width A (mm) | Size - Height B (mm) | Vertical Repeat D (mm) | Labels per Row | Labels per Roll | Recommended Ribbon | Diagram |
|------------------|--------|---------------------|----------------------|------------------------|----------------|-----------------|--------------------|---------|
| B30EP-173-593-WT | White  | 50.80               | 25.40                | 31.80                  | 1              | 300             | B30-R6000HF        | ▲       |
| B30EP-173-593-RD | Red    | 50.80               | 25.40                | 31.80                  | 1              | 300             | B30-R4400-WT       | ▲       |
| B30EP-173-593-YL | Yellow | 50.80               | 25.40                | 31.80                  | 1              | 300             | B30-R6000HF        | ▲       |
| B30EP-173-593-GN | Green  | 50.80               | 25.40                | 31.80                  | 1              | 300             | B30-R4400-WT       | ▲       |
| B30EP-173-593-SL | Silver | 50.80               | 25.40                | 31.80                  | 1              | 300             | B30-R6000HF        | ▲       |
| B30EP-173-593-BK | Black  | 50.80               | 25.40                | 31.80                  | 1              | 300             | B30-R4400-WT       | ▲       |
| B30EP-175-593-WT | White  | 76.20               | 19.05                | 25.40                  | 1              | 375             | B30-R6000HF        | ▲       |
| B30EP-175-593-YL | Yellow | 76.20               | 19.05                | 25.40                  | 1              | 375             | B30-R6000HF        | ▲       |
| B30EP-175-593-GN | Green  | 76.20               | 19.05                | 25.40                  | 1              | 375             | B30-R4400-WT       | ▲       |
| B30EP-175-593-BK | Black  | 76.20               | 19.05                | 25.40                  | 1              | 375             | B30-R4400-WT       | ▲       |
| B30EP-176-593-WT | White  | 76.20               | 25.40                | 31.80                  | 1              | 300             | B30-R6000HF        | ▲       |
| B30EP-176-593-YL | Yellow | 76.20               | 25.40                | 31.80                  | 1              | 300             | B30-R6000HF        | ▲       |
| B30EP-176-593-GN | Green  | 76.20               | 25.40                | 31.80                  | 1              | 300             | B30-R4400-WT       | ▲       |
| B30EP-176-593-BK | Black  | 76.20               | 25.40                | 31.80                  | 1              | 300             | B30-R4400-WT       | ▲       |
| B30EP-177-593-WT | White  | 76.20               | 63.50                | 69.90                  | 1              | 125             | B30-R6000HF        | ▲       |
| B30EP-177-593-YL | Yellow | 76.20               | 63.50                | 69.90                  | 1              | 125             | B30-R6000HF        | ▲       |
| B30EP-177-593-GN | Green  | 76.20               | 63.50                | 69.90                  | 1              | 125             | B30-R4400-WT       | ▲       |
| B30EP-177-593-BK | Black  | 76.20               | 63.50                | 69.90                  | 1              | 125             | B30-R4400-WT       | ▲       |
| B30EP-174-593-WT | White  | 101.60              | 25.40                | 31.80                  | 1              | 300             | B30-R6000HF        | ▲       |
| B30EP-174-593-RD | Red    | 101.60              | 25.40                | 31.80                  | 1              | 300             | B30-R4400-WT       | ▲       |
| B30EP-174-593-YL | Yellow | 101.60              | 25.40                | 31.80                  | 1              | 300             | B30-R6000HF        | ▲       |
| B30EP-174-593-GN | Green  | 101.60              | 25.40                | 31.80                  | 1              | 300             | B30-R4400-WT       | ▲       |
| B30EP-174-593-SL | Silver | 101.60              | 25.40                | 31.80                  | 1              | 300             | B30-R6000HF        | ▲       |
| B30EP-174-593-BK | Black  | 101.60              | 25.40                | 31.80                  | 1              | 300             | B30-R4400-WT       | ▲       |




## CONTINUOUS TAPES FOR GENERAL IDENTIFICATION

ALLOWS FOR EFFICIENT MATERIAL USE

- Materials have high-tack adhesives for use onto a wide variety of surfaces and components
- Good for cutting out custom-sized labels



| Order Reference | Colour | Size - Width A (mm) | Size - Length B (m) | Labels per Row | Labels per Roll | Recommended Ribbon | Diagram |
|-----------------|--------|---------------------|---------------------|----------------|-----------------|--------------------|---------|
| B30C-4000-423   | White  | 101.00              | 45.70               | 1              | 1               | B30-R-6000         | ⊙       |
| B30C-4000-424   | White  | 101.00              | 45.70               | 1              | 1               | B30-R-4300         | ⊙       |
| B30C-4000-428   | Silver | 101.00              | 39.60               | 1              | 1               | B30-R-4300         | ⊙       |
| B30C-4000-432   | Clear  | 101.00              | 36.60               | 1              | 1               | B30-R-6000         | ⊙       |
| B30C-4000-434   | Silver | 101.00              | 39.60               | 1              | 1               | B30-R-6000         | ⊙       |
| B30C-4000-437   | White  | 101.00              | 45.70               | 1              | 1               | B30-R-4300         | ⊙       |
| B30C-4000-483   | White  | 101.00              | 39.60               | 1              | 1               | B30-R-6000         | ⊙       |
| B30C-4000-484   | White  | 101.00              | 45.70               | 1              | 1               | B30-R-6000         | ⊙       |
| B30C-4000-486   | Silver | 101.00              | 35.10               | 1              | 1               | B30-R-4300         | ⊙       |
| B30C-4000-488   | White  | 101.00              | 39.60               | 1              | 1               | B30-R-4300         | ⊙       |
| B30C-4000-489   | White  | 101.00              | 39.60               | 1              | 1               | B30-R-4300         | ⊙       |
| B30C-4000-724   | Amber  | 101.00              | 39.60               | 1              | 1               | B30-R-4300         | ⊙       |
| B30C-4000-727   | White  | 101.00              | 39.60               | 1              | 1               | B30-R-6000         | ⊙       |
| B30C-4000-787   | White  | 101.00              | 18.29               | 1              | 1               | B30-R6000          | ⊙       |



## PREMASK APPLICATION TAPE

- Use Premask Application Tape to easily apply cut out letters and shapes in a straight line.

| Article No. | Description              | Size - Width A (mm) | Size - Length B (m) |
|-------------|--------------------------|---------------------|---------------------|
| 243242      | PREMASK APPLICATION TAPE | 127.00              | 50.00               |




See page 21, 22 for full material properties.



## PRINT RIBBONS

“DROP & CLICK” PRINT RIBBONS FOR QUICK AND EASY SUPPLY CHANGES

- Tough, smear-proof ribbons that produce long-lasting printed text
- Print can withstand years in industrial areas and outdoor conditions
- Ribbons supplied in self-contained cartridges that drop straight into the printer with a “click”
- No calibrating, no threading, no waste, no hassle and the ink will always be facing the right direction
- Printer notifies user if installed ribbon is not recommended for the installed labels



| Order Reference     | Colour                       | Width (mm) x Length (m) |
|---------------------|------------------------------|-------------------------|
| B30-R4300           | Black                        | 110 mm x 60.90 m        |
| B30-R4400-WT        | White                        | 110 mm x 60.90 m        |
| B30-R6000HF         | Black                        | 110 mm x 60.90 m        |
| B30-R6200           | Black                        | 110 mm x 60.90 m        |
| B30-R6600           | Black                        | 110 mm x 60.90 m        |
| B30-R6700-WT        | White                        | 110 mm x 60.90 m        |
| B30-R10000          | Black                        | 110 mm x 60.90 m        |
| B30-R10000-BL       | Blue                         | 110 mm x 60.90 m        |
| B30-R10000-CMYK-16* | Cyan, Magenta, Yellow, Black | 110 mm x 60.90 m        |
| B30-R10000-CMYK-8*  | Cyan, Magenta, Yellow, Black | 110 mm x 60.90 m        |
| B30-R10000-GN       | Green                        | 110 mm x 60.90 m        |
| B30-R10000-GR-8*    | Green & Red                  | 110 mm x 60.90 m        |
| B30-R10000-KB-16*   | Black & Blue                 | 110 mm x 60.90 m        |
| B30-R10000-KB-8*    | Black & Blue                 | 110 mm x 60.90 m        |
| B30-R10000-KG-16*   | Black & Green                | 110 mm x 60.90 m        |
| B30-R10000-KG-8*    | Black & Green                | 110 mm x 60.90 m        |
| B30-R10000-KO-16*   | Black & Orange               | 110 mm x 60.90 m        |
| B30-R10000-KO-8*    | Black & Orange               | 110 mm x 60.90 m        |
| B30-R10000-KR-16*   | Black & Red                  | 110 mm x 60.90 m        |
| B30-R10000-KR-8*    | Black & Red                  | 110 mm x 60.90 m        |

| Order Reference     | Colour                     | Width (mm) x Length (m) |
|---------------------|----------------------------|-------------------------|
| B30-R10000-KRBO-8*  | Black, Red, Orange, Blue   | 110 mm x 60.90 m        |
| B30-R10000-KRGB-16* | Black, Red, Blue, Green    | 110 mm x 60.90 m        |
| B30-R10000-KRGB-8*  | Black, Red, Blue, Green    | 110 mm x 60.90 m        |
| B30-R10000-KRYB-16* | Black, Red, Blue, Yellow   | 110 mm x 60.90 m        |
| B30-R10000-KRYB-8*  | Black, Red, Blue, Yellow   | 110 mm x 60.90 m        |
| B30-R10000-KRYG-8*  | Black, Red, Green & Yellow | 110 mm x 60.90 m        |
| B30-R10000-KY-16*   | Black & Yellow             | 110 mm x 60.90 m        |
| B30-R10000-KY-8*    | Black & Yellow             | 110 mm x 60.90 m        |
| B30-R10000-MA       | Magenta                    | 110 mm x 60.90 m        |
| B30-R10000-OR       | Orange                     | 110 mm x 60.90 m        |
| B30-R10000-PRCCY    | Process Cyan               | 110 mm x 60.90 m        |
| B30-R10000-PRCMAG   | Process Magenta            | 110 mm x 60.90 m        |
| B30-R10000-PRCYEL   | Process Yellow             | 110 mm x 60.90 m        |
| B30-R10000-RB-16*   | Red & Blue                 | 110 mm x 60.90 m        |
| B30-R10000-RD       | Red                        | 110 mm x 60.90 m        |
| B30-R10000-WT       | White                      | 110 mm x 60.90 m        |
| B30-R10000-YL**     | Yellow                     | 110 mm x 60.90 m        |
| B30-R10000-YL2**    | Yellow                     | 110 mm x 60.90 m        |

\* '-8' have 200mm colour panels; those ending in '-16' have 400mm colour panels.

\*\*For printing yellow onto white B-595 use B30-R10000-YL. For printing yellow onto other colours of B-595 use B30-R10000-YL2.

## BBP35/37 PRINT RIBBON/MATERIAL COMPATIBILITY

| B Number    | B30-R4300<br>Black | B30-R4400-WT<br>White | B30-R6000HF<br>Black | B30-R6200<br>Black | B30-R6600<br>Black | B30-R6700-WT<br>White | B30-R10000<br>Black | B30-R10000-WT<br>White | B30-R10000<br>Colours | B30-R10000-YL2**<br>Yellow |
|-------------|--------------------|-----------------------|----------------------|--------------------|--------------------|-----------------------|---------------------|------------------------|-----------------------|----------------------------|
| B-423       |                    |                       | ✓                    | ✓                  |                    |                       |                     |                        |                       |                            |
| B-424       | ✓                  |                       |                      |                    |                    |                       |                     |                        |                       |                            |
| B-428       | ✓                  |                       |                      |                    |                    |                       |                     |                        |                       |                            |
| B-432       |                    | ✓                     | ✓                    |                    |                    |                       |                     |                        |                       |                            |
| B-434       |                    |                       | ✓                    |                    |                    |                       |                     |                        |                       |                            |
| B-437       | ✓                  |                       |                      |                    |                    |                       |                     |                        |                       |                            |
| B-483/B-634 |                    | ✓                     | ✓                    |                    |                    |                       |                     |                        |                       |                            |
| B-483       |                    |                       | ✓                    |                    |                    |                       |                     |                        |                       |                            |
| B-484       |                    |                       | ✓                    |                    |                    |                       |                     |                        |                       |                            |
| B-486       |                    |                       |                      |                    |                    |                       |                     |                        |                       |                            |
| B-488       | ✓                  |                       |                      |                    |                    |                       |                     |                        |                       |                            |
| B-489       | ✓                  |                       |                      |                    |                    |                       |                     |                        |                       |                            |
| B-498       | ✓                  |                       |                      | ✓                  |                    |                       |                     |                        |                       |                            |
| B-509       |                    |                       | ✓                    |                    |                    |                       | ✓                   |                        | ✓                     |                            |
| B-526       |                    |                       | ✓                    |                    |                    |                       | ✓                   |                        | ✓                     |                            |
| B-549       |                    |                       |                      |                    | ✓                  |                       | ✓                   | ✓                      | ✓                     |                            |
| B-551       |                    |                       | ✓                    |                    |                    |                       | ✓                   |                        | ✓                     |                            |
| B-569       |                    |                       | ✓                    |                    |                    |                       | ✓                   | ✓                      | ✓                     |                            |
| B-581       |                    |                       | ✓                    |                    |                    |                       | ✓                   | ✓                      | ✓                     |                            |
| B-584       |                    |                       | ✓                    |                    |                    |                       | ✓                   |                        | ✓                     |                            |
| B-593       |                    | ✓                     | ✓                    |                    |                    |                       |                     |                        |                       |                            |
| B-595       |                    |                       | ✓                    |                    |                    | ✓                     | ✓                   | ✓                      | ✓                     | ✓                          |
| B-724       | ✓                  |                       |                      |                    |                    |                       |                     |                        |                       |                            |
| B-727       |                    |                       | ✓                    |                    |                    |                       |                     |                        |                       |                            |
| B-787       |                    |                       | ✓                    |                    |                    |                       |                     |                        |                       |                            |
| B-854       |                    |                       | ✓                    |                    |                    |                       |                     |                        |                       |                            |
| B-855       |                    |                       | ✓                    |                    |                    |                       |                     |                        |                       |                            |
| B-7569      |                    |                       | ✓                    |                    |                    |                       | ✓                   | ✓                      | ✓                     |                            |

\*\*For printing yellow onto white B-595 use B30-R10000-YL. For printing yellow onto other colours of B-595 use B30-R10000-YL2

See page 21, 22 for full material properties.



## A CHOICE OF TWO FAST, EASY-TO-USE AND VERSATILE PRINTERS

### BBP™35 MULTICOLOUR SIGN & LABEL PRINTER

| Order Reference | Art. No. | Description                                          |
|-----------------|----------|------------------------------------------------------|
| BBP35-QWERTY-UK | 145996   | BBP35 Multicolour Sign and Label Printer - QWERTY UK |
| BBP35-QWERTY-EU | 143634   | BBP35 Multicolour Sign and Label Printer - QWERTY EU |
| BBP35-QWERTY-US | 143633   | BBP35 Multicolour Sign and Label Printer - QWERTY US |
| BBP35-AZERTY    | 143635   | BBP35 Multicolour Sign and Label Printer - AZERTY    |
| BBP35-QWERTZ    | 143636   | BBP35 Multicolour Sign and Label Printer - QWERTZ    |
| BBP35-CYRILLIC  | 143637   | BBP35 Multicolour Sign and Label Printer - CYRILLIC  |

BBP35 Multicolour Signs & Label Printer ships with: BBP35 Printer, Power Cord, USB Cable, Cleaning Kit, Cutter Cleaning Tool, Quick Start Guide

### BBP™37 MULTICOLOUR & CUT SIGN & LABEL PRINTER

| Order Reference | Art. No. | Description                                                  |
|-----------------|----------|--------------------------------------------------------------|
| BBP37-QWERTY-UK | 145995   | BBP37 Multicolour and Cut Sign and Label Printer - QWERTY UK |
| BBP37-QWERTY-EU | 143639   | BBP37 Multicolour and Cut Sign and Label Printer - QWERTY EU |
| BBP37-QWERTY-US | 143638   | BBP37 Multicolour and Cut Sign and Label Printer - QWERTY US |
| BBP37-AZERTY    | 143640   | BBP37 Multicolour and Cut Sign and Label Printer - AZERTY    |
| BBP37-QWERTZ    | 143641   | BBP37 Multicolour and Cut Sign and Label Printer - QWERTZ    |
| BBP37-CYRILLIC  | 143642   | BBP37 Multicolour and Cut Sign and Label Printer - CYRILLIC  |

BBP37 Multicolour & Cut Signs & Label Printer ships with: BBP37 Printer, Power Cord, USB Cable, Cleaning Kit, Cutter Cleaning Tool, Quick Start Guide

## PRINTER TECHNICAL DATA

|                                         | BBP™35 Multicolour Sign & Label Printer                                                                                                                                                                                                                                                                                                                            | BBP™37 Multicolour & Cut Sign & Label Printer                                                                                                                                                                                                                                                                                                                                                                                                    |
|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Description                             | BBP™35 Multicolour Sign and Label Printer. Colour Your Way to an Improved Workplace. Brady's BBP™35 Label Printer offers outstanding colour capabilities to quickly create a safer, more productive facility. The printers' simple, automatic label setup and intuitive touchscreen enable users to make signs on demand and on-site in any colour and shape!      | BBP™37 Multicolour and Cut Sign and Label Printer. Colour Your Way to an Improved Workplace. Brady's BBP™37 Label Printer offers outstanding colour and cutting capabilities to quickly create a safer, more productive facility. The printer's simple, automatic label setup and intuitive touchscreen enable you to make signs on demand and on-site in any colour and shape!                                                                  |
| Applications                            | Arc Flash labelling; Asset identification; CLP & Chemical labelling; Cold Temperature Identification; Equipment labelling; Exit & evacuation labelling; Facility & safety ID; Lean/5S Labeling; Lockout identification & marking; Panel labeling; Pipe marking; Security Identification; Temporary labelling                                                       | Arc Flash labelling; Asset identification; CLP & Chemical labelling; Cold Temperature Identification; Equipment labelling; Exit & evacuation labelling; Facility & safety ID; Lean/5S Labeling; Lockout identification & marking; Panel labeling; Pipe marking; Security Identification; Temporary labelling                                                                                                                                     |
| <b>Specifications</b>                   |                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Print Resolution (dpi)                  | 300 dpi                                                                                                                                                                                                                                                                                                                                                            | 300 dpi                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Print Speed (mm/sec)                    | 127                                                                                                                                                                                                                                                                                                                                                                | 127                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Print Technology                        | Thermal Transfer                                                                                                                                                                                                                                                                                                                                                   | Thermal Transfer                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Max. Label Width                        | 101.00 mm                                                                                                                                                                                                                                                                                                                                                          | 101.00 mm                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Cutter                                  | Auto Cutter                                                                                                                                                                                                                                                                                                                                                        | XY Cutter and Auto Cutter                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Features</b>                         |                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Colour Capability                       | Multicolour; Monocolour                                                                                                                                                                                                                                                                                                                                            | Multicolour; Monocolour                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Stand-alone Printing (Detached from PC) | Yes                                                                                                                                                                                                                                                                                                                                                                | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Software Compatibility                  | Brady Workstation                                                                                                                                                                                                                                                                                                                                                  | Brady Workstation                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Continuous vs Die-cut Labels            | Continuous Tape & Die Cut Labels                                                                                                                                                                                                                                                                                                                                   | Continuous Tape & Die Cut Labels                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Recommended Usage per Day               | Around 1.500 labels/day, depending on specific label size, text printed and other factors.                                                                                                                                                                                                                                                                         | Around 1.500 labels/day, depending on specific label size, text printed and other factors.                                                                                                                                                                                                                                                                                                                                                       |
| Materials Supported                     | Indoor/Outdoor Grade Vinyl; Low-Halide Polyester; Pre-Printed GHS/CLP Labels; Pre-Printed Sign Header Labels; Tags; ToughWash Washdown Resistant Labels; Toughstripe Floor Marking Tape; Reflective Tape; Photoluminescent Tape; Magnetic Supply; Repositionable Vinyl; Right-To-Know Chemical Labels; Cold Temperature Tape; Push Button and Raised Panel Labels. | Indoor/Outdoor Grade Vinyl; Low-Halide Polyester; Pre-Printed GHS/CLP Labels; Pre-Printed Sign Header Labels; Tags; ToughWash Washdown Resistant Labels; Toughstripe Floor Marking Tape; Reflective Tape; Photoluminescent Tape; Magnetic Supply; Repositionable Vinyl; Right-To-Know Chemical Labels; Cold Temperature Tape; Push Button and Raised Panel Labels; Industrial Paper, Polyester, Polyimide, Polyvinyl Fluoride and Tedlar labels. |
| PC Connectivity                         | Yes                                                                                                                                                                                                                                                                                                                                                                | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Connectivity Options                    | USB, Ethernet. Optional: Wifi, Bluetooth                                                                                                                                                                                                                                                                                                                           | USB, Ethernet. Optional: Wifi, Bluetooth                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Physical Properties</b>              |                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Depth x Height x Width                  | 360 mm x 280 mm x 480 mm                                                                                                                                                                                                                                                                                                                                           | 360 mm x 280 mm x 480 mm                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Weight (kg)                             | 16.50 kg                                                                                                                                                                                                                                                                                                                                                           | 16.50 kg                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Keyboard Type                           | QWERTY, QWERTZ, AZERTY, CYRILLIC                                                                                                                                                                                                                                                                                                                                   | QWERTY, QWERTZ, AZERTY, CYRILLIC                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Operating Temperature                   | 10 to 40°C. 20 to 80% RH non-condensing                                                                                                                                                                                                                                                                                                                            | 10 to 40°C. 20 to 80% RH non-condensing                                                                                                                                                                                                                                                                                                                                                                                                          |
| Approval/Compliance                     | USA & Canada : cULc; Europe : CE-RoHS; Argentina : UL-AR & S Mark; Mexico : UL NOM CoC; Australia : RCM mark; Russia : EAC; Korea : KC; China : CCC-RoHS; India : BIS; Taiwan : BSMI Exemption; South Africa : LOA and SABS (No logo on product label)                                                                                                             | USA & Canada : cULc; Europe : CE-RoHS; Argentina : UL-AR & S Mark; Mexico : UL NOM CoC; Australia : RCM mark; Russia : EAC; Korea : KC; China : CCC-RoHS; India : BIS; Taiwan : BSMI Exemption; South Africa : LOA and SABS (No logo on product label)                                                                                                                                                                                           |
| Warranty                                | 1 year                                                                                                                                                                                                                                                                                                                                                             | 1 year                                                                                                                                                                                                                                                                                                                                                                                                                                           |

## BBP35 & BBP37 PRINTER ACCESSORIES


| Order Reference | Art. No. | Description                                      |
|-----------------|----------|--------------------------------------------------|
| Squeegee        | 036612   | Squeegee                                         |
| PCK-6           | 133251   | Printer Cleaning Kit - Thermal Transfer Printers |
| B30-WIPER       | 142114   | Media Wiper 5 Pack                               |
| NET-BT          | 142265   | Bluetooth Network Card                           |
| NET-WIFI        | 142266   | WiFi Network Card                                |
| NET-LAN         | 142267   | LAN Network Card                                 |
| NET-WIFI-LAN    | 142268   | WiFi/ LAN Network Card                           |



Network card



Squeegee



## BRADY WORKSTATION

- The latest in label creation software, Brady Workstation revolutionizes the way you create labels on your PC. Instead of using a CD to upload label-making software on your computer, you simply download the Brady Workstation platform to your desktop and add the label-creation apps you want.
- It's built to be simple, with a variety of easy-to-use apps for several applications. Each app walks you through the necessary steps to efficiently create your own signs, pipe markers, lockout procedures and labels, giving you time to spare for other projects. It also includes built-in regulations and standards to help you stay compliant.

**DISCOVER IT AT [WORKSTATION.BRADYID.COM](http://WORKSTATION.BRADYID.COM)**



### CLP/GHS LABELS APP

Creating CLP/GHS labels is now amazingly simple. Enter your SDS data one time, and you can create any size label and print it at any time.



### LOCKOUT WRITER APP

Quickly create compliant lockout/tagout labels. This app includes procedure printing templates, simple translations, easy-to-use image editing for callouts.



### EXPRESS SIGNS APP

Create your signs in no time – Simply pick a template, enter your info and it's ready in minutes. Don't like the layouts? Adjust them. Don't worry, we won't make you redo your work.



### CLP PIPE MARKER APP

Easily comply with the latest pipe marking standard. This app allows you to create the customized pipe markers you need, then save them to use again whenever you want more.



### ARROW TAPE APP

Beyond creating a pipe marker, you need to know what direction the pipe contents are flowing. With this app, create a strip of repeated arrows or icons to wrap around your pipe and show content direction.



### CUSTOM DESIGNER APP

Design anything you can imagine. Start with a blank canvas and create a label or sign that meets your needs. Add barcodes or QR codes, import data from Excel and more!

## THE STEPS ARE SIMPLE



1. Download Brady Workstation at [workstation.bradyd.com](http://workstation.bradyd.com)



2. Fill the workstation with the apps you want



3. Save time by quickly designing and printing labels!



This section provides a quick reference to Brady materials listed throughout this catalogue, including basic attributes, applications and regulatory compliance where applicable. For more detailed material attribute and performance information, please refer to the material's Technical Data Sheet, listed at [www.bradyeurope.com/tds](http://www.bradyeurope.com/tds).

| Brady Material No. | Material               | Finish | Colour | Temp (°C)<br>(Tested for 30 days) |        | Performance<br>Attributes | Properties & Applications                                                                                                                                                                                                                                                                                                                                                            | Approval/Compliance                                                                           |
|--------------------|------------------------|--------|--------|-----------------------------------|--------|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
|                    |                        |        |        | Min.                              | Max.   |                           |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                               |
| B-422              | Polyester              | Gloss  | White  | -40 °C                            | 100 °C |                           | White material stock with glossy finish and 2 mils of adhesive for rough surface applications, including low surface energy plastics. Designed to withstand solvent exposure. UL rated for surfaces commonly used in solar panel manufacturing. Also used for component identification, barcoding, asset and inventory tracking.                                                     | UL Recognised; CSA Accepted                                                                   |
| B-423              | Polyester              | Gloss  | White  | -70 °C                            | 110 °C |                           | White polyester thermal transfer printable material with a glossy finish. Widely used for component identification, barcoding, asset and inventory tracking. UL rated for surfaces commonly used in solar panel manufacturing.                                                                                                                                                       | UL Recognised; CSA Accepted; AGA Approved; Halogen Free (DIN VDE 0472/part 815)               |
| B-424              | Paper                  | Matt   | White  | -40 °C                            | 50 °C  |                           | White paper material with matt finish and smooth top coat finish for thermal transfer printing. Good contrast and smear resistance for thermal barcode printing. Used for general purpose labeling applications                                                                                                                                                                      | —                                                                                             |
| B-428              | Metallised Polyester   | Matt   | Silver | -40 °C                            | 120 °C |                           | Thermal transfer printable metallised polyester with matt finish. Withstands solvents and variable temperatures. Excellent for serial and rating plate applications with name-plate quality and a metal-looking finish.                                                                                                                                                              | UL Recognised; CSA Accepted; Halogen Free (DIN VDE 0472/part 815)                             |
| B-432              | Polyester              | Gloss  | Clear  | -40 °C                            | 100 °C |                           | Translucent, high performance polyester material with a glossy finish. Thermal transfer printable. Very similar to B-430, but has a thicker layer of acrylic adhesive for better adherence to rough surface applications.                                                                                                                                                            | UL Recognised; CSA Accepted                                                                   |
| B-434              | Metallised Polyester   | Gloss  | Silver | -40 °C                            | 90 °C  |                           | Metallised polyester with a glossy finish and a thicker layer of adhesive for better adherence to rough surface applications. Withstands numerous solvents while maintaining excellent image quality.                                                                                                                                                                                | UL Recognised; CSA Accepted                                                                   |
| B-437              | Polyvinylfluoride      | Matt   | White  | -70 °C                            | 135 °C |                           | Polyvinylfluoride label material with matt finish. Used in wire and cable identification applications where self-extinguishing features are required. This label material utilises an adhesive for heavy-duty applications and is available in continuous or die-cut formats. Excellent resistance to water, oil and other common fluids. Also available in yellow.                  | MIL-M-87958 Pressure Sensitive Adhesive Wire or Cable Marker and Identification specification |
| B-483              | Polyester              | Gloss  | White  | -40 °C                            | 120 °C |                           | White polyester thermal transfer printable material with glossy finish and aggressive adhesive specifically designed for powder coated surfaces.                                                                                                                                                                                                                                     | UL Recognised; CSA Accepted                                                                   |
| B-483/B-634        | ToughStripe™ Polyester | Gloss  | White  | -40 °C                            | 120 °C |                           | ToughStripe™ floor marking thermal transfer printable polyester with ultra-aggressive adhesive which allows for printable messages to be placed on the floor. The floor marking roll ships with a separate roll of B-634 Polyester Overlaminate to protect your legend. Ideal to create custom-printed floor labels. Available in white, yellow, red, orange, green, blue and black. | —                                                                                             |
| B-484              | Polyester              | Gloss  | White  | -40 °C                            | 120 °C |                           | White polyester thermal transfer printable material, similar to B-483, but with thinner construction for curved or angled surfaces. Offers aggressive adhesive for adhesion to textured metals and low surface energy plastics.                                                                                                                                                      | UL Recognised                                                                                 |
| B-486              | Polyester              | Matt   | Silver | -40 °C                            | 120 °C |                           | Metallized polyester thermal transfer printable material, ideal for indoor product labeling, asset tracking and general ID on very rough surfaces.                                                                                                                                                                                                                                   | UL Recognised; CSA Accepted                                                                   |
| B-488              | Polyester              | Matt   | White  | -70 °C                            | 145 °C |                           | White polyester thermal transfer printable material, similar to B-423, but with matt finish. Widely used for component identification, barcoding, asset and inventory tracking.                                                                                                                                                                                                      | UL Recognised; CSA Accepted                                                                   |
| B-489              | Polyester              | Matt   | White  | -40 °C                            | 120 °C |                           | White polyester thermal transfer printable material, similar to B-483, but with matt finish. Aggressive adhesive specifically designed for powder coated surfaces.                                                                                                                                                                                                                   | UL Recognised; CSA Accepted                                                                   |

# Master Material Index


| Brady Material No.                                                                        | Material                              | Finish     | Colour                                | Temp (°C)<br>(Tested for 30 days) |        | Performance<br>Attributes                                                                                                                                                                                                                                   | Properties & Applications                                                                                                                                                                                                                                                                                                                                                                                | Approval/Compliance                                                                                                                                                                                                                                                                                                                                 |
|-------------------------------------------------------------------------------------------|---------------------------------------|------------|---------------------------------------|-----------------------------------|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                           |                                       |            |                                       | Min.                              | Max.   |                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                     |
|  B-498   | Vinyl Cloth                           | Semi-gloss | White                                 | -40 °C                            | 80 °C  |          | White vinyl cloth label material with glossy finish. The adhesive and cloth backing give excellent holding power, while being repositionable and removing cleanly.                                                                                                                                                                                                                                       | UL Recognised                                                                                                                                                                                                                                                                                                                                       |
| B-509                                                                                     | Magnetic Polyester                    |            | White                                 | -18 °C                            | 70 °C  |                                                                                                                                                                                                                                                             | Magnetic Back Polyester is used for temporary, reusable and movable signs                                                                                                                                                                                                                                                                                                                                | —                                                                                                                                                                                                                                                                                                                                                   |
| B-526                                                                                     | Phosphorescent Polyester              | Gloss      | Luminous Green                        | -40 °C                            | 60 °C  |                                                                                                                                                                                                                                                             | BradyGlo™ High Intensity laminate is designed to provide high adhesion and luminance for egress marking in low light areas in and along stairwells of public buildings, exit and directional signs, identification of fire alarms and extinguishers, low location egress pathway markings, and directional systems for escape or evacuation routes                                                       | Complies with all indoor use requirements specified in RS 6-1 and 6-1A of New York Local Law 26 including photoluminescence, washability, flammability, toxic gas generation, and radioactivity.<br>Approved Model Numbers Accepted For Use, City of New York, Department of Buildings: MEA No. 467-06-M UV: 46-9-7<br>Lloyd's Register SAS F050294 |
| B-549                                                                                     | Polyester                             | Gloss      | White                                 | -40 °C                            | 100 °C |                                                                                                                                                                                                                                                             | Flexible, dimensionally stable, low temperature, pressure sensitive adhesive tape for permanent application. Adhesive can be applied at temperatures down to -10°F (-23°C).                                                                                                                                                                                                                              | —                                                                                                                                                                                                                                                                                                                                                   |
| B-551                                                                                     | Polyester Tag                         |            | White                                 | -40 °C                            | 90 °C  |                                                                                                                                                                                                                                                             | Tag material used for marking on-the-spot warning of dangerous conditions                                                                                                                                                                                                                                                                                                                                | Conforms to OSHA specification 1910.145 for accident prevention tags                                                                                                                                                                                                                                                                                |
| B-569                                                                                     | Polyester                             |            | Green                                 | -40 °C                            | 100 °C |                                                                                                                                                                                                                                                             | Designed for use on stainless steel pipes in harsh environments such as the Pulp and Paper Industry                                                                                                                                                                                                                                                                                                      | —                                                                                                                                                                                                                                                                                                                                                   |
| B-581                                                                                     | Vinyl                                 | Gloss      | White                                 | -40 °C                            | 82 °C  |                                                                                                                                                                                                                                                             | Only indoor use, where frequent repositioning is required                                                                                                                                                                                                                                                                                                                                                | —                                                                                                                                                                                                                                                                                                                                                   |
| B-584                                                                                     | Vinyl                                 | Gloss      | Orange                                | -40 °C                            | 70 °C  |                                                                                                                                                                                                                                                             | Suitable for outdoor use. Also available in silver and yellow.                                                                                                                                                                                                                                                                                                                                           | —                                                                                                                                                                                                                                                                                                                                                   |
| B-593                                                                                     | Polyester                             | Gloss      | White                                 | -20 °C                            | 100 °C |    | EPREP (Engraved Panel REplacement labels) are designed for patch panel identification in identifying external push-buttons, switches and internal connection points. Also available in black, green, red, silver and yellow.                                                                                                                                                                             | UL Recognised; cUL Recognised                                                                                                                                                                                                                                                                                                                       |
| B-595                                                                                     | Vinyl                                 | Gloss      | White                                 | -40 °C                            | 82 °C  |                                                                                                                                                                                                                                                             | Durable, low-shrink vinyl with our most aggressive adhesive. Conforms to irregular, curved, rough and highly textured surfaces (painted cinder blocks, uneven wood, textured plastics, paper-jacketed pipes, powder-coated surfaces). Adheres to "difficult" low-surface energy items (PVC piping, blow-moulded equipment cases, ABS plastics, recycled plastics). Available in a wide range of colours. | —                                                                                                                                                                                                                                                                                                                                                   |
|  B-724 | Polyimide                             | Matt       | Amber                                 | -70 °C                            | 300 °C |    | Amber polyimide material with matt finish and ultra-durable adhesive. Used in printed circuit board and electronic component pre-process labelling. Designed for use with extreme wash protocol and cleaning chemicals.                                                                                                                                                                                  | Meets the performance requirements of MIL -STD-202G, Notice 12, Method 215K; Meets the requirements of SAE AS81531 Marking of Electrical Insulating Material                                                                                                                                                                                        |
|  B-727 | Polyimide                             | Gloss      | White                                 | -70 °C                            | 300 °C |                                                                                       | White polyimide material with glossy finish and ultra-durable adhesive. Used in printed circuit board and electronic component pre-process labelling. Designed for use with extreme wash protocol and cleaning chemicals.                                                                                                                                                                                | UL Recognised; Meets the performance requirements of MIL -STD-202G, Notice 12, Method 215K; Dibutyltin and Dioctyltin free.                                                                                                                                                                                                                         |
| B-7569                                                                                    | Vinyl                                 | Gloss      | White with pre-printed Red Diamond(s) | -20 °C                            | 75 °C  |                                                                                                                                                                                                                                                             | Used for Pipe Markers, Arrow Tape, Warehouse Marking, Floor Marking, Warning Panels, Safety Signs and Hazardous Substance Identification                                                                                                                                                                                                                                                                 | —                                                                                                                                                                                                                                                                                                                                                   |
| B-787                                                                                     | Polyvinylfluoride                     | Gloss      | White                                 |                                   | 100 °C |                                                                                                                                                                                                                                                             | White polyvinyl fluoride material. Used in wire and cable identification applications where self-extinguishing properties are required.                                                                                                                                                                                                                                                                  | Boeing BMS 10-26 Type I, Grade A; Meets the colour requirements of FED-STD-595C Colour 17875 White                                                                                                                                                                                                                                                  |
| B-854                                                                                     | ToughWash™ Metal Detectable Polyester | Matt       | White                                 | -40 °C                            | 110 °C |                                                                                                                                                                                                                                                             | Tough against harsh washdown environments; metal detectable. Also available in yellow.                                                                                                                                                                                                                                                                                                                   | —                                                                                                                                                                                                                                                                                                                                                   |
| B-855                                                                                     | ToughWash™ Polyester                  | Matt       | White                                 | -40 °C                            | 110 °C |                                                                                                                                                                                                                                                             | Tough against harsh washdown environments. Also available in yellow.                                                                                                                                                                                                                                                                                                                                     | —                                                                                                                                                                                                                                                                                                                                                   |

# Which Material for Which Application?

|                                                                                                                                                                                                                                                                                                               | B-423 | B-424 | B-428 | B-432 | B-434 | B-437 | B-463 | B-484 | B-486 | B-488 | B-489 | B-509 | B-526 | B-549 | B-551 | B-569 | B-581 | B-584 | B-583 | B-595 | B-724 | B-727 | B-7589 | B-787 | B-884 | B-885 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|
|  <b>Safety panels</b> <ul style="list-style-type: none"> <li>• Pictograms</li> <li>• Pictograms + text</li> <li>• Wallcharts</li> </ul>                                                                                      |       |       |       |       |       |       |       |       |       |       |       | ★     | ★     |       | ★     |       | ★     |       | ★     |       |       | ★     |        |       |       |       |
|  <b>Evacuation Maps</b>                                                                                                                                                                                                      |       |       |       |       |       |       |       |       |       |       |       | ★     | ★     |       | ★     |       |       |       | ★     |       |       |       |        |       |       |       |
|  <b>Safety Procedures &amp; Machine Instructions</b> <ul style="list-style-type: none"> <li>• Valve &amp; switch identification</li> <li>• Emergency procedures</li> <li>• Lockout / Tagout</li> <li>• Schematics</li> </ul> |       |       |       |       |       |       |       |       |       |       |       | ★     | ★     |       | ★     |       |       |       | ★     |       |       |       | ★      |       |       |       |
|  <b>Pipe marking</b> <ul style="list-style-type: none"> <li>• Individual pipe markers</li> <li>• Roll form pipe markers</li> <li>• Arrows</li> </ul>                                                                         |       |       |       |       |       |       |       |       |       |       |       |       |       |       | ★     |       |       |       | ★     |       |       |       | ★      |       |       |       |
|  <b>Hazardous Substances ID</b>                                                                                                                                                                                              |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | ★      |       |       |       |
|  <b>Photoluminescent Signage</b> <ul style="list-style-type: none"> <li>• Emergency escape routes</li> <li>• Assembly &amp; Emergency point signs</li> </ul>                                                                 |       |       |       |       |       |       |       |       |       |       |       | ★     |       |       |       |       |       |       |       |       |       |       |        |       |       |       |
|  <b>Maintenance</b> <ul style="list-style-type: none"> <li>• Cleaning instructions</li> <li>• Repair instructions</li> </ul>                                                                                                 |       |       |       |       |       |       |       |       |       |       |       |       |       | ★     |       | ★     |       |       | ★     |       |       |       | ★      |       |       |       |
|  <b>Panel Identification</b> <ul style="list-style-type: none"> <li>• Panel and switch identification</li> </ul>                                                                                                             | ★     | ★     | ★     | ★     |       | ★     | ★     | ★     | ★     | ★     |       |       |       |       |       |       |       | ★     | ★     |       |       |       | ★      |       |       |       |
|  <b>Asset Management</b> <ul style="list-style-type: none"> <li>• Office furniture</li> <li>• Tools &amp; machines</li> <li>• Company cars</li> </ul>                                                                       | ★     | ★     | ★     | ★     |       | ★     | ★     | ★     | ★     | ★     |       |       |       |       |       |       |       |       | ★     |       |       |       |        |       |       |       |
|  <b>Logistic</b> <ul style="list-style-type: none"> <li>• Warehouse &amp; Stock</li> <li>• Bar codes</li> </ul>                                                                                                            |       |       |       |       |       |       |       |       |       |       | ★     |       | ★     |       |       | ★     |       |       | ★     |       |       |       |        |       |       |       |
|  <b>Transport</b> <ul style="list-style-type: none"> <li>• Chemical substances</li> <li>• Directional signs</li> <li>• Informative signs</li> </ul>                                                                        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | ★     |       |       |       | ★      |       |       |       |
|  <b>Office Use</b> <ul style="list-style-type: none"> <li>• Files</li> <li>• Door signs</li> </ul>                                                                                                                         |       | ★     |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | ★     |       |       |       | ★      |       |       |       |
|  <b>Cut-Out Letters &amp; Signs</b>                                                                                                                                                                                        |       |       |       |       |       |       |       |       |       |       |       |       |       |       | ★     |       |       |       | ★     |       |       |       | ★      |       |       |       |
|  <b>Tagout</b> <ul style="list-style-type: none"> <li>• Safety tags</li> </ul>                                                                                                                                             |       |       |       |       |       |       |       |       |       |       |       |       |       | ★     |       |       |       |       |       |       |       |       |        |       |       |       |
|  <b>Events (badges, logo...)</b> <ul style="list-style-type: none"> <li>• Exhibitions</li> <li>• Seminars</li> <li>• Advertising / communication agencies</li> </ul>                                                       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | ★     |       | ★     | ★     |       |       | ★      |       |       |       |
|  <b>Services / Recreation</b> <ul style="list-style-type: none"> <li>• Industrial contractors</li> <li>• Holiday centres, leisure centres</li> <li>• Theme parks</li> </ul>                                                |       |       |       |       |       |       |       |       |       |       |       |       |       |       | ★     |       |       | ★     |       |       |       |       |        |       |       |       |
|  <b>Washdown labels</b> <ul style="list-style-type: none"> <li>• For use in Food &amp; Beverage Industry</li> </ul>                                                                                                        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |        | ★     | ★     |       |
|  <b>PCB ID</b> <ul style="list-style-type: none"> <li>• For low volume PCB labelling with high flexibility</li> </ul>                                                                                                      |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | ★     | ★     |       |        |       |       |       |
|  <b>Cable &amp; Wire ID</b> <ul style="list-style-type: none"> <li>• Self extinguishing</li> </ul>                                                                                                                         |       |       |       |       | ★     |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | ★      |       |       |       |

# Brady Corporation

Our mission is To Identify and Protect People, Products and Places



## COMPANY OVERVIEW

BRADY was founded in 1914 in Eau Claire, Wisconsin, as W.H. BRADY Co., and renamed BRADY Corporation in 1998. The company began selling products internationally in 1947. In 1984, BRADY went public, with stock trading on the Nasdaq Stock Market, and in 1999, moved trading of its stock to the New York Stock Exchange, where it trades under the symbol BRC. The company's global headquarters is in Milwaukee, Wisconsin.

## BRADY MANUFACTURES AND MARKETS:

- products for identification and safety applications such as signs and markers, printing systems and software to produce identification products on-site and on demand
- products for wire identification, including labelling materials and tools for wire and cable marking in the electrical, datacom and telecommunication markets
- high-performance identification products, including labels and signs that remain legible and highly adhesive even in harsh environments
- products that identify people and enhance security by ensuring the right persons are in the right places at the right time

## OPERATIONS – SOME FACTS:

- 6500 employees around the world
- Operations in 29 countries
- Distribution in more than 100 countries through more than 4,400 distributor partners



WHEN PERFORMANCE MATTERS MOST™

### BRADY Africa

361 Olympic Duel,  
Northlands Business Park  
Newmarket Road  
Randburg  
Tel: +27 11 704 3295  
Fax: +27 86 501 7775

### BRADY Benelux

Industriepark C/3  
Lindestraat 20  
9240 Zele, Belgium  
Tel: +32 (0) 52 45 78 11  
Fax: +32 (0) 52 45 78 12

### BRADY Central & Eastern Europe

Na Pátoch 18  
831 06 Bratislava, Slovakia  
Tel: +421 2 3300 4800  
Fax: +421 2 3300 4801

### BRADY Denmark

Svendborgvej 39D  
5260 Odense S  
Tel: +45 66 14 44 00  
Fax: +45 66 14 44 50

### BRADY France

Parc EURO CIT  
45, avenue de l'Europe  
59436 Roncq Cedex  
Tel: +33 (0) 3 20 01 08 70  
Fax: +33 (0) 3 20 01 08 76

### BRADY Germany

Brady-Straße 1  
63329 Egelsbach  
Tel: +49 (0) 6103 7598 660  
Fax: +49 (0) 6103 7598 670

### BRADY Hungary

Puskás Tivadar u. 4.  
2040 Budaörs  
Tel: +36 23 500 275  
Fax: +36 23 500 276

### BRADY Italy

Via Degli Abeti 44  
20064 Gorgonzola (MI)  
Tel: +39 02 26 00 00 22  
Fax: +39 02 25 75 351

### BRADY Middle East FZE

PO BOX 18015  
Jebel Ali, Dubai, UAE  
Tel: +971 4881 2524  
Fax: +971 4881 3183

### BRADY Norway

Kjeller Vest 2  
2007 Kjeller  
Tel: +47 70 13 40 00  
Fax: +47 70 13 40 01

### BRADY Romania

World Trade Center  
Piata Montreal, nr 10  
Intrarea F, Etajul 1, Birou 1.16,  
Sector 1,  
Bucharest, 011469  
Tel: +40 21 202 3032  
Fax: +40 21 202 3100

### BRADY Russia

Avrora Business Park, Office 2305  
82/2, Sadovnicheskaya Street  
115035 Moscow  
Tel: +7 495 225 93 62

### BRADY Spain & Portugal

Av. Ventisquero de la condesa 13,  
local 17 y 18  
28035 Madrid, Spain  
Tel: +34 900 902 993  
Fax: +34 900 902 994

### BRADY Sweden

Vallgatan 5  
170 67 Solna  
Tel: +46 (0) 8 590 057 30  
Fax: +46 (0) 8 590 818 68

### BRADY Turkey

Konaklar Mah. Selvili Sokak  
C13 Blok No.8 Kat:3 Daire:5  
34330 4. Levent-Besiktas  
Istanbul  
Tel: +90 212 264 02 20 / 264 02 21  
Fax: +90 212 270 83 19

### BRADY UK & Ireland

Wildmere Industrial Estate  
Banbury, Oxon – OX16 3JU, UK  
Tel: +44 (0) 1295 228 288  
Fax: +44 (0) 1295 228 219

### BRADY WORLDWIDE

|                        |                 |
|------------------------|-----------------|
| Australia .....        | 612-8717-6300   |
| Brazil .....           | 55-11-3686-4720 |
| Canada .....           | 1-800-263-6179  |
| China (Beijing) .....  | 86-10-6788-7799 |
| China (Shanghai) ..... | 86-21-6886-3666 |
| China (Wuxi) .....     | 86-510-528-2222 |
| Hong Kong .....        | 852-2359-3149   |
| Japan .....            | 81-45-461-3600  |
| Korea .....            | 82-31-451-6600  |
| Latin America .....    | 1-414-540-5560  |
| Malaysia .....         | 60-4-646-2700   |
| Mexico .....           | 525-399-6963    |
| New Zealand .....      | 61-2-8717-2200  |
| Philippines .....      | 63-2-658-2077   |
| Singapore .....        | 65-6477-7261    |
| Taiwan .....           | 886-3-327-7788  |
| Thailand .....         | 66-2-793-9200   |
| USA .....              | 1-800-537-8791  |

## Your distributor



HTS-POLSKA HIGH-TECH SOLUTIONS POLSKA

HTS-Polska Strzyga Sp. J.  
Wola Pieczyska 27  
05-650 Chynów  
tel. 22 619 07 70  
kom. 505 612 159  
e-mail: info@hts-polska.pl

[www.bradyeurope.com](http://www.bradyeurope.com)

